

TONONE



TONONE



TONONE

"It is with enthusiasm that we present to you the new Tonone catalogue. This edition is filled with new photography, and, of course, our latest lighting concept, Bridge, is represented. The new linear pendant lamp is made of recycled plexiglass and is available in opal white and in two striking neon colour variations: orange and green. The material's transparency creates an interesting layering and impressive light output. As with the other lamps in the collection, Tonone's bold and functional signature is evident in this new design.

Since 2013, Tonone has been growing steadily, and our hand-assembled lamps are increasingly spreading across national borders. We are delighted that our products are finding their way around the world. Our lamps shine in the most unique locations, such as modern offices, luxury restaurants, and bank buildings. Nevertheless, the Tonone team's heart (still) leaps when we see our lamps in people's homes. The biggest compliment we can receive is your choice to welcome Tonone into your home!

We hope this catalogue inspires you and contributes to creating your ideal living and working space."

With love,


Anton




Anton de Groof




TABLE OF CONTENTS




10 | BOLT10




20 | BRIDGE



26 | ONE




40 | BELLA



48 | BOLT



74 | BEADS



92 | MR. TUBES LED



106 | ATLAS



112 | ELLA

118 | SPECIFICATIONS




BOLT10

To celebrate Tonone's 10th anniversary, we proudly present the Bolt10: a refined evolution of the iconic Bolt that started it all. The design stays true to its industrial character while introducing a lighter, smarter and more flexible construction.

With an integrated LED light source, a rotatable shade and the signature brass wingnut, the Bolt10 offers both functionality and precision. The built-in dimmer lets you shift effortlessly from bright task lighting to warm, atmospheric light.

Available as a wall, floor and desk lamp in Shadow Black, Misty White, Burgundy Red and Clay Brown.







DESK

Design by Anton de Groof 2025

Material	Aluminum & steel
Description	The Bolt10 preserves the industrial character of the original Bolt in a slimmer, refined design with integrated LED technology. Its adjustable shade and signature brass wingnut provide maximum flexibility and precise light control.
Volt	220–240 V 4 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90


Colors 

More specifications on pages 118 – 142

desk (with black cords)



desk (with orange cords)





FLOOR

Design by Anton de Groof 2025

Material	Aluminum & steel
Description	The Bolt10 preserves the industrial character of the original Bolt in a slimmer, refined design with integrated LED technology. Its adjustable shade and signature brass wingnut provide maximum flexibility and precise light control.
Volt	220–240 V 4 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90


Colors

More specifications on pages 118 – 142

floor (with black cords)



floor (with orange cords)





WALL

Design by Anton de Groof 2025

Material	Aluminum & steel
Description	The Bolt10 preserves the industrial character of the original Bolt in a slimmer, refined design with integrated LED technology. Its adjustable shade and signature brass wingnut provide maximum flexibility and precise light control.
Volt	220–240 V 4 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90

Colors






More specifications on pages 118 – 142

wall (with black cords)




wall (with orange cords)





BRIDGE



The Bridge is a linear LED lamp that creates a graphic interplay of lines and invites experimentation with composition. Like a real bridge, it is supported by steel cables that both carry the load and conduct the power, eliminating the need for a visible power cord.

Available in four lengths (110, 150, 180 and 220 cm), Bridge is made from recycled plexiglass and comes in Fog White, Cocoa Brown, Smoke Grey and two striking neon shades: Lava Orange and Toxic Green.






BRIDGE

Design by Anton de Groof 2023


Material	Aluminum, acrylic and steel
Description	A linear LED lamp that allows for a graphic interplay of lines and offers the opportunity to experiment with composition. The design is functional, but also contains the typical layering of Tonone.
Volt	220-240 V
Watt	19 - 38 Watt
Led color	2700K
Colors	

More specifications on pages 118 - 142

lava orange



Bridge 110 = 1100
Bridge 150 = 1495
Bridge 180 = 1800
Bridge 220 = 2200



cable length = 2200 - 2600
longer steel cables available on request



ONE

The portable and rechargeable design lamp is a true all-rounder. You can take the lamp anywhere you want and it fits in every room of your house. Thanks to its magnetic attachment, you're able to snap the ONE on its fixture with just one simple movement. With its fully charged built-in battery, it lights up your life up to 30 hours. The ONE is easy to charge with the included cable. The ONE is available in 3 colors. Combine the ONE with one of the fixtures and make a floor, desk, ceiling or wall lamp.







ONE + KNOB

Design by Anton de Groof 2022


Material	Aluminum & steel
Description	The lamp is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220-240 V Max 1,5 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90

Colors





More specifications on pages 118 – 142

knob



one + knob





DESK


Design by Anton de Groof 2022

Material	Aluminum & steel
Description	ONE + desk is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220-240 V Max 1,5 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90



Colors

More specifications on pages 118 - 142

desk



one + desk





FLOOR

Design by Anton de Groof 2022


Material	Steel & aluminum
Description	ONE + floor is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220-240 V Max 1,5 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90

Colors





More specifications on pages 118 - 142

floor



one + floor





FLOOR STRAIGHT

Design by Anton de Groof 2023


Material	Steel & aluminum
Description	ONE + floor is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220-240 V Max 1,5 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90

Colors






More specifications on pages 118 - 142

floor



one + floor





WALL

Design by Anton de Groof 2022



Material	Steel & aluminum
Description	ONE + wall is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220-240 V Max 1,5 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90
Colors	

More specifications on pages 118 - 142

wall fixture



one + wall





BELLA



The Tonone Bella truly lives up to her name: she's a real Bella. Because of the three legs, a closed lampshade and the use of only one screw, this lamp has a functional design. The choice of powder-coated steel makes the Bella strong, both in her appearance and her construction.

Bella is available in 2 different models, as a pendant and table lamp, and 11 colors. To customize the design even further, you can choose the color of the fitting: black or brass.





TABLE

Design by Anton de Groof 2022

Material	Aluminum & steel
Description	The three legs are made of powder coated steel, the lampshade of coated aluminum. The Bella is almost completely screwless, the fitting is the only part that is secured with a screw.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors




More specifications on pages 118 – 142

black aluminum fitting



brass fitting





PENDANT

Design by Anton de Groof 2022

Material	Aluminum & steel
Description	The lampshade is made of powder coated aluminum. The Bella is almost completely screwless, the fitting is the only part that is secured with a screw. The ceiling cap comes in the same color as the lamp.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27

Colors




More specifications on pages 118 – 142

black aluminum fitting



brass fitting





BOLT

The starting point for the products of Tonone is the passion for traditional mechanics. The first product line that resulted from this fascination is the lamp series 'Bolt'.

The key element in this industrial series is the joint construction that can be adjusted with a wingnut-shaped tool. Besides being a functional tool, this wingnut is integrated in the design of the lamp itself as a distinctive visual element.







2 arm foot



2 arm clamp



DESK

Design by Anton de Groof 2013


Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors




More specifications on pages 118 – 142

1 arm foot



1 arm clamp









DESK SMALL

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors



More specifications on pages 118 – 142




2 arm small





1 arm small



1 arm small
clamp





TABLE

Design by Anton de Groof 2013


Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors




More specifications on pages 118 – 142

standard



small





FLOOR

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors





More specifications on pages 118 – 142

2 arm sidefit



1 arm sidefit





FLOOR LONG

Design by Anton de Groof 2013


Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27
Dimmer	2 arm upperfit includes a LED dimmer

Colors




More specifications on pages 118 - 142


long 2 arm upperfit




long 1 arm sidefit



Installation




sidefit



39

sidefit small



33

WALL

Design by Anton de Groof 2013



Material	Steel & aluminum
Description	Body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V Max 60 Watt
Socket	E27
Installation- options	1. powercord including switch and europlug 2. terminal block to install directly on a junction box 3. option 2 + optional wall ring

Colors




More specifications on pages 118 – 142

sidefit mini



underfit





BED

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut. The bed version can be swiveled horizontally.
Volt	220-240 V Max 60 Watt
Socket	E27
Installation-options	1. powercord including europlug 2. terminal block to install directly on a junction box 3. option 2 + optional wall ring

Colors

More specifications on pages 118 – 142




sidefit




underfit




Installation



1 arm upperfit



2 arm upperfit



CEILING

Design by Anton de Groof 2016

Material	Steel & aluminum
Description	Body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V Max 60 Watt
Socket	E27




Colors

More specifications on pages 118 - 142

1 arm sidefit




2 arm sidefit





6 arm



CHANDELIER

Design by Anton de Groof 2013


Material	Steel & aluminum
Description	Body in powder coated steel, shades in powder coated aluminum. The shades and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors




More specifications on pages 118 – 142

12 arm



18 arm





PACK PENDANT

Design by Anton de Groof 2013


Material	Steel & aluminum
Description	Body in powder coated steel, shades in powder coated aluminum. The shades and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors







More specifications on pages 118 – 142

pack pendant



12 pack = 2198
10 pack = 1798
8 pack = 1398
6 pack = 998





BEADS

The Beads collection is a series of lamps designed to fit in every environment. The modest look of the armature starts shining when it comes to functionality. With its 360-degree dimmable and pivotable LED ring, the Beads is a solution for any situation.

On top of that the Beads is available as a pendant, a ceiling-, wall-, floor- or table lamp. With the Beads Tonone illustrates a next step in innovating lighting concepts, but also sticks to the basic design signature of this brand.








PENDANT

Design by Anton de Groof 2018


Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220-240 V
Watt	16 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 2800K)
CRI	90

Color 


More specifications on pages 118 – 142






pendant box 50



pendant box 108



pendant





DIRECT

Design by Anton de Groof 2018

Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220-240 V
Watt	16 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 2800K)
CRI	90



Color 

More specifications on pages 118 – 142

direct outside



direct inside




Beads pendant





five in line



BEADS IN LINE



Design by Anton de Groof 2018

Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220-240 V
Watt	5x 16 Watt or 3x 16 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 2800K)
CRI	90

Color 

More specifications on pages 118 – 142

three in line





BEADS IN CIRCLE


Design by Anton de Groof 2018

Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220-240 V
Watt	3x 16 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 2800K)
CRI	90


Color 

More specifications on pages 118 – 142


three in circle





Installation wall 120



Installation wall 35



wall 120



WALL

Design by Anton de Groof 2018

Material	Aluminum & steel
Description	The lightweight Beads is made out of aluminum materials. Wall mounts in powder coated steel.
Volt	220-240 V 16 Watt
Light source	Dimmable led
LED color	Dim to warm (2100K to 2800K)
CRI	90
Installation- options	1. & 3. with powercord including europlug, dimmer on fixture 2. & 4. with terminal block to install directly on a junction box, phase cut dimmable

Color






More specifications on pages 118 – 142

wall 35 down



wall 35 up






FLOOR & TABLE

Design by Anton de Groof 2018


Material	Aluminum & steel
Description	The lightweight Beads is made out of aluminum materials. Base and tube in coated steel. The Floor & Table are offered with uplight or downlight.
Tech specs	220-240 V
Watt	16 Watt
Light source	Dimmable LED, Beads Floor includes a LED dimmer on cord Beads Table is dimmable on fixture
LED color	Dim to warm (2100K to 2800K)
CRI	90
Color	

More specifications on pages 118 – 142

floor



table








MR. TUBES LED

Mr. Tubes is a sturdy lamp design that combines pure functionality with graphical aesthetics. The black- or white coated steel construction holds the led tubes and gives the lamp an industrial look; a straightforward design suitable for various locations. The lamp is dimmable and the adjustable steel cables make it possible to hang the lamp at any height.

Mr. Tubes is available as a pendant single, double, floor, wall and chandelier. Or build your own with the Mr. Tubes Led Connect.



Installation



Optional for use





vertical 1000

driver separate



vertical 700

driver separate



PENDANT

Design by Anton de Groof 2019



Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by black steel cables. The Mr. Tubes is phase cut dimmable.
Volt	220-240 V 1000 mm tube 11 Watt 700 mm 8 Watt
Installation	1. driver on fixture 2. & 3. driver separate
Light color	2700K or 4000K
CRI	>90
Colors	

More specifications on pages 118 – 142

single driver separate



single driver on fixture





DOUBLE

Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by 2 black steel cables. The Mr. Tubes is phase cut dimmable.
Volt	220-240 V
Watt	23 Watt
Light color	2700K or 4000K
CRI	>90



Colors  

More specifications on pages 118 - 142

double black



double white





WALL


Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum. The Mr. Tubes is phase cut dimmable.
Volt	220-240 V 8 Watt
Light color	2700K or 4000K CRI: >90
Installation	1. with 3 meter powercord including europlug 2. with terminal block to install directly on a junction box 3. with optional wall ring


Colors  

More specifications on pages 118 – 142

wall driver separate



wall driver on fixture



Drawings of the installation options of the Mr. Tubes LED driver separate: available on request or check tonone.com.



CHANDELIER

Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by a black steel cable. The Mr. Tubes is phase cut dimmable.
Volt	220-240 V
Watt	40 Watt
Light color	2700K or 4000K
CRI	>90



Colors  

More specifications on pages 118 - 142

chandelier black



chandelier white





CONNECT

Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by black steel cables. The Mr. Tubes is phase cut dimmable.
Volt	220-240 V 1000 mm tube 11 Watt 700 mm tube 8 Watt
Light color	2700K or 4000K
CRI	>90

Colors



Create your Mr. Tubes led Connect with us.
info@tonone.com

connect





ATLAS

The combination of an aluminium or brass hinge mechanism with a transparent hand-blown glass shade creates a constructive lamp with a poetic character. By unfolding the hinge mechanism to an upright position, the glass shade is hold up while it rests on the construction.

Atlas comes in two sizes; a big shade of 450 mm wide and a smaller shade of 350 mm wide.







ATLAS

Design by Anton de Groof 2015

Material	Brass & hand blown glass
Description	A hand blown glass shade held by an ingenious brass hinge mechanism.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27
Glass colors	Transparent & neutral grey

Color  

More specifications on pages 118 – 142

D350




D450






ELLA

A hand-blown glass shade is supported by a sturdy steel tripod stand, underlining its strong, graphic yet elegant and light character. Both the transparent and the neutral grey shades provide a soft glow, and work harmoniously with the black or white stand colors and brass details.







ELLA

Design by Anton de Groof 2016

Material	Steel & hand blown glass
Description	The tripod stand is made of powder coated steel and holds a hand blown-glass shade.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27
Glass colors	Transparent or neutral grey

Body colors




More specifications on pages 118 – 142

ella black



ella white







TONONE

specifications

p. 52

BOLT Desk 2 arm foot
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,8 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm

Wingnut solid brass included

● smokey black	1001
● flux green	1003
○ pure white	1005
● midnight grey	1252
● ash grey	1008
● striking orange	1006
● lightning white	1004
● thunder blue	1007
● daybreak rose	1457
● sunny yellow	1415
● ice blue	1600

p. 52

BOLT Desk 2 arm clamp
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,5 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm

Wingnut solid brass included

● smokey black	1009
● flux green	1011
○ pure white	1013
● midnight grey	1253
● ash grey	1016
● striking orange	1014
● lightning white	1012
● thunder blue	1015
● daybreak rose	1458
● sunny yellow	1416
● ice blue	1601

p. 53

BOLT Desk 1 arm foot
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm

Wingnut solid brass included

● smokey black	1017
● flux green	1019
○ pure white	1021
● midnight grey	1254
● ash grey	1024
● striking orange	1022
● lightning white	1020
● thunder blue	1023
● daybreak rose	1460
● sunny yellow	1418
● ice blue	1602

p. 53

BOLT Desk 1 arm clamp
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,9 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm

Wingnut solid brass included

● smokey black	1025
● flux green	1027
○ pure white	1029
● midnight grey	1255
● ash grey	1032
● striking orange	1030
● lightning white	1028
● thunder blue	1031
● daybreak rose	1461
● sunny yellow	1419
● ice blue	1603

p. 57

BOLT Desk small 2 arm foot
Anton de Groof, 2013 / 2018

Material: steel & aluminum
Weight: 5,3 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2300 mm

Wingnut solid brass included

● smokey black	1352
● flux green	1353
○ pure white	1355
● midnight grey	1359
● ash grey	1358
● striking orange	1356
● lightning white	1354
● thunder blue	1357
● daybreak rose	1459
● sunny yellow	1417
● ice blue	1606




p. 57

BOLT Desk small 1 arm foot
Anton de Groof, 2013 /2018

Material: steel & aluminum
Weight: 4,8 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included





● smokey black	1033
● flux green	1035
○ pure white	1037
● midnight grey	1256
● ash grey	1040
● striking orange	1038
● lightning white	1036
● thunder blue	1039
● daybreak rose	1462
● sunny yellow	1420
● ice blue	1604




p. 57

BOLT Desk small 1 arm clamp
Anton de Groof, 2013 / 2018

Material: steel & aluminum
Weight: 1,7 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included





● smokey black	1041
● flux green	1042
○ pure white	1044
● midnight grey	1257
● ash grey	1048
● striking orange	1045
● lightning white	1043
● thunder blue	1046
● daybreak rose	1463
● sunny yellow	1421
● ice blue	1605




p. 59

BOLT Table standard
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,3 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2300 mm

Wingnut solid brass included





● smokey black	1049
● flux green	1051
○ pure white	1053
● midnight grey	1258
● ash grey	1056
● striking orange	1054
● lightning white	1052
● thunder blue	1055
● daybreak rose	1464
● sunny yellow	1422
● ice blue	1607




p. 59

BOLT Table small
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,2 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included





● smokey black	1057
● flux green	1059
○ pure white	1061
● midnight grey	1259
● ash grey	1064
● striking orange	1062
● lightning white	1060
● thunder blue	1063
● daybreak rose	1465
● sunny yellow	1423
● ice blue	1608



p. 59

BOLT Mount for table / desk


Material: steel & aluminum

Bolt Desk and Bolt Table available with mount instead of a foot or clamp.






Please contact Tonone for more information.

info@tonone.com





● smokey black	1547
● flux green	1548
○ pure white	1549
● midnight grey	1550
● ash grey	1551
● striking orange	1552
● lightning white	1553
● thunder blue	1554
● daybreak rose	1555
● sunny yellow	1556
● ice blue	1652

 p. 61	BOLT Floor 2 arm sidefit Anton de Groof, 2013 Material: steel & aluminum Weight: 8,8 kg Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: 3000 mm Wingnut solid brass included		● smokey black 1065 ● flux green 1067 ○ pure white 1069 ● midnight grey 1260 ● ash grey 1072 ● striking orange 1070 ● lightning white 1068 ● thunder blue 1071 ● daybreak rose 1466 ● sunny yellow 1424 ● ice blue 1609
 p. 61	BOLT Floor 1 arm sidefit Anton de Groof, 2013 Material: steel & aluminum Weight: 8,4 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: 2400 mm Wingnut solid brass included		● smokey black 1073 ● flux green 1075 ○ pure white 1077 ● midnight grey 1261 ● ash grey 1080 ● striking orange 1078 ● lightning white 1076 ● thunder blue 1079 ● daybreak rose 1467 ● sunny yellow 1425 ● ice blue 1610
 p. 63	BOLT Floor long 2 arm upperfit Anton de Groof, 2013 Material: steel & aluminum Weight: 10,1 kg Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: 2900 mm Includes a LED floordimmer on cord Wingnut solid brass included		● smokey black 1360 ● flux green 1361 ○ pure white 1363 ● midnight grey 1367 ● ash grey 1366 ● striking orange 1364 ● lightning white 1362 ● thunder blue 1365 ● daybreak rose 1469 ● sunny yellow 1427 ● ice blue 1612
 p. 63	BOLT Floor long 1 arm sidefit Anton de Groof, 2013 Material: steel & aluminum Weight: 9,3 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: 2200 mm Wingnut solid brass included		● smokey black 1279 ● flux green 1280 ○ pure white 1282 ● midnight grey 1286 ● ash grey 1285 ● striking orange 1283 ● lightning white 1281 ● thunder blue 1284 ● daybreak rose 1468 ● sunny yellow 1426 ● ice blue 1611
 p. 64	BOLT Wall sidefit with cord Anton de Groof, 2013 Material: steel & aluminum Weight: 1,0 kg Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: 2600 mm Wingnut solid brass included		● smokey black 1081 ● flux green 1083 ○ pure white 1085 ● midnight grey 1262 ● ash grey 1088 ● striking orange 1086 ● lightning white 1084 ● thunder blue 1087 ● daybreak rose 1470 ● sunny yellow 1428 ● ice blue 1613




p. 64

BOLT Wall sidefit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included





● smokey black

● flux green

○ pure white

● midnight grey

● ash grey

● striking orange

● lightning white

● thunder blue

● daybreak rose

● sunny yellow

● ice blue

1089

1091

1093

1265

1096

1094

1092

1095

1473

1431

1614




p. 64

BOLT Wall sidefit small with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2750 mm

Wingnut solid brass included





● smokey black

● flux green

○ pure white

● midnight grey

● ash grey

● striking orange

● lightning white

● thunder blue

● daybreak rose

● sunny yellow

● ice blue

1220

1222

1224

1263

1227

1225

1223

1226

1471

1429

1617




p. 64

BOLT Wall sidefit small install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included





● smokey black

● flux green

○ pure white

● midnight grey

● ash grey

● striking orange

● lightning white

● thunder blue

● daybreak rose

● sunny yellow

● ice blue

1236

1238

1240

1266

1243

1241

1239

1242

1474

1432

1618




p. 65

BOLT Wall sidefit mini with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 0,9 kg
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2850 mm

Wingnut solid brass included





● smokey black

● flux green

○ pure white

● midnight grey

● ash grey

● striking orange

● lightning white

● thunder blue

● daybreak rose

● sunny yellow

● ice blue

1228

1230

1232

1264

1235

1233

1231

1234

1472

1430

1619




p. 65

BOLT Wall sidefit mini install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 0,9 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included





● smokey black

● flux green

○ pure white

● midnight grey

● ash grey

● striking orange

● lightning white

● thunder blue

● daybreak rose

● sunny yellow

● ice blue

1244

1246

1248

1267

1251

1249

1247

1250

1475

1433

1620




BOLT Wall underfit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2600 mm

Wingnut solid brass included





● smokey black	1105
● flux green	1107
○ pure white	1109
● midnight grey	1268
● ash grey	1112
● striking orange	1110
● lightning white	1108
● thunder blue	1111
● daybreak rose	1476
● sunny yellow	1434
● ice blue	1615




BOLT Wall underfit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included





● smokey black	1113
● flux green	1114
○ pure white	1116
● midnight grey	1269
● ash grey	1120
● striking orange	1117
● lightning white	1115
● thunder blue	1118
● daybreak rose	1477
● sunny yellow	1435
● ice blue	1616




BOLT Bed sidefit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included





● smokey black	1129
● flux green	1131
○ pure white	1133
● midnight grey	1270
● ash grey	1136
● striking orange	1134
● lightning white	1132
● thunder blue	1135
● daybreak rose	1478
● sunny yellow	1436
● ice blue	1623




BOLT Bed sidefit with cord MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included





● smokey black	1529
● flux green	1530
○ pure white	1531
● midnight grey	1532
● ash grey	1533
● striking orange	1534
● lightning white	1535
● thunder blue	1536
● daybreak rose	1537
● sunny yellow	1538
● ice blue	1624




BOLT Bed sidefit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included





● smokey black	1137
● flux green	1139
○ pure white	1141
● midnight grey	1271
● ash grey	1144
● striking orange	1142
● lightning white	1140
● thunder blue	1143
● daybreak rose	1479
● sunny yellow	1437
● ice blue	1626

BOLT Bed sidefit install MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

● smokey black	1368
● flux green	1369
○ pure white	1371
● midnight grey	1375
● ash grey	1374
● striking orange	1372
● lightning white	1370
● thunder blue	1373
● daybreak rose	1480
● sunny yellow	1438
● ice blue	1627

BOLT Bed sidefit set
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 2500 mm

Wingnut solid brass included

● smokey black	1560
● flux green	1561
○ pure white	1562
● midnight grey	1563
● ash grey	1564
● striking orange	1565
● lightning white	1566
● thunder blue	1567
● daybreak rose	1568
● sunny yellow	1569
● ice blue	1625

BOLT Bed sidefit set install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

● smokey black	1570
● flux green	1571
○ pure white	1572
● midnight grey	1573
● ash grey	1574
● striking orange	1575
● lightning white	1576
● thunder blue	1577
● daybreak rose	1578
● sunny yellow	1579
● ice blue	1628

BOLT Bed underfit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included

● smokey black	1145
● flux green	1147
○ pure white	1149
● midnight grey	1272
● ash grey	1152
● striking orange	1150
● lightning white	1148
● thunder blue	1151
● daybreak rose	1481
● sunny yellow	1439
● ice blue	1629






BOLT Bed underfit with cord MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included

● smokey black	1519
● flux green	1520
○ pure white	1521
● midnight grey	1522
● ash grey	1523
● striking orange	1524
● lightning white	1525
● thunder blue	1526
● daybreak rose	1527
● sunny yellow	1528
● ice blue	1630

p. 67	BOLT Bed underfit install Anton de Groof, 2013 Material: steel & aluminum Weight: 1,4 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Optional: wallring Wingnut solid brass included		<table> <tr><td>● smokey black</td><td>1153</td></tr> <tr><td>● flux green</td><td>1155</td></tr> <tr><td>○ pure white</td><td>1157</td></tr> <tr><td>● midnight grey</td><td>1273</td></tr> <tr><td>● ash grey</td><td>1160</td></tr> <tr><td>● striking orange</td><td>1158</td></tr> <tr><td>● lightning white</td><td>1156</td></tr> <tr><td>● thunder blue</td><td>1159</td></tr> <tr><td>● daybreak rose</td><td>1482</td></tr> <tr><td>● sunny yellow</td><td>1440</td></tr> <tr><td>● ice blue</td><td>1632</td></tr> </table>	● smokey black	1153	● flux green	1155	○ pure white	1157	● midnight grey	1273	● ash grey	1160	● striking orange	1158	● lightning white	1156	● thunder blue	1159	● daybreak rose	1482	● sunny yellow	1440	● ice blue	1632
● smokey black	1153																								
● flux green	1155																								
○ pure white	1157																								
● midnight grey	1273																								
● ash grey	1160																								
● striking orange	1158																								
● lightning white	1156																								
● thunder blue	1159																								
● daybreak rose	1482																								
● sunny yellow	1440																								
● ice blue	1632																								
p. 67	BOLT Bed underfit install MIRROR Anton de Groof, 2013 Material: steel & aluminum Weight: 1,4 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Optional: wallring Wingnut solid brass included		<table> <tr><td>● smokey black</td><td>1376</td></tr> <tr><td>● flux green</td><td>1377</td></tr> <tr><td>○ pure white</td><td>1379</td></tr> <tr><td>● midnight grey</td><td>1383</td></tr> <tr><td>● ash grey</td><td>1382</td></tr> <tr><td>● striking orange</td><td>1380</td></tr> <tr><td>● lightning white</td><td>1378</td></tr> <tr><td>● thunder blue</td><td>1381</td></tr> <tr><td>● daybreak rose</td><td>1483</td></tr> <tr><td>● sunny yellow</td><td>1441</td></tr> <tr><td>● ice blue</td><td>1633</td></tr> </table>	● smokey black	1376	● flux green	1377	○ pure white	1379	● midnight grey	1383	● ash grey	1382	● striking orange	1380	● lightning white	1378	● thunder blue	1381	● daybreak rose	1483	● sunny yellow	1441	● ice blue	1633
● smokey black	1376																								
● flux green	1377																								
○ pure white	1379																								
● midnight grey	1383																								
● ash grey	1382																								
● striking orange	1380																								
● lightning white	1378																								
● thunder blue	1381																								
● daybreak rose	1483																								
● sunny yellow	1441																								
● ice blue	1633																								
p. 67	BOLT Bed underfit set Anton de Groof, 2013 Material: steel & aluminum Weight: 2,8 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: max 2500 mm Wingnut solid brass included		<table> <tr><td>● smokey black</td><td>1580</td></tr> <tr><td>● flux green</td><td>1581</td></tr> <tr><td>○ pure white</td><td>1582</td></tr> <tr><td>● midnight grey</td><td>1583</td></tr> <tr><td>● ash grey</td><td>1584</td></tr> <tr><td>● striking orange</td><td>1585</td></tr> <tr><td>● lightning white</td><td>1586</td></tr> <tr><td>● thunder blue</td><td>1587</td></tr> <tr><td>● daybreak rose</td><td>1588</td></tr> <tr><td>● sunny yellow</td><td>1589</td></tr> <tr><td>● ice blue</td><td>1631</td></tr> </table>	● smokey black	1580	● flux green	1581	○ pure white	1582	● midnight grey	1583	● ash grey	1584	● striking orange	1585	● lightning white	1586	● thunder blue	1587	● daybreak rose	1588	● sunny yellow	1589	● ice blue	1631
● smokey black	1580																								
● flux green	1581																								
○ pure white	1582																								
● midnight grey	1583																								
● ash grey	1584																								
● striking orange	1585																								
● lightning white	1586																								
● thunder blue	1587																								
● daybreak rose	1588																								
● sunny yellow	1589																								
● ice blue	1631																								
p. 67	BOLT Bed underfit set install Anton de Groof, 2013 Material: steel & aluminum Weight: 2,8 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Optional: wallring Wingnut solid brass included		<table> <tr><td>● smokey black</td><td>1590</td></tr> <tr><td>● flux green</td><td>1591</td></tr> <tr><td>○ pure white</td><td>1592</td></tr> <tr><td>● midnight grey</td><td>1593</td></tr> <tr><td>● ash grey</td><td>1594</td></tr> <tr><td>● striking orange</td><td>1595</td></tr> <tr><td>● lightning white</td><td>1596</td></tr> <tr><td>● thunder blue</td><td>1597</td></tr> <tr><td>● daybreak rose</td><td>1598</td></tr> <tr><td>● sunny yellow</td><td>1599</td></tr> <tr><td>● ice blue</td><td>1634</td></tr> </table>	● smokey black	1590	● flux green	1591	○ pure white	1592	● midnight grey	1593	● ash grey	1594	● striking orange	1595	● lightning white	1596	● thunder blue	1597	● daybreak rose	1598	● sunny yellow	1599	● ice blue	1634
● smokey black	1590																								
● flux green	1591																								
○ pure white	1592																								
● midnight grey	1593																								
● ash grey	1594																								
● striking orange	1595																								
● lightning white	1596																								
● thunder blue	1597																								
● daybreak rose	1598																								
● sunny yellow	1599																								
● ice blue	1634																								
p. 69	BOLT Ceiling 1 arm sidefit Anton de Groof, 2016 Material: steel & aluminum Weight: 1,5 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Wingnut solid brass included		<table> <tr><td>● smokey black</td><td>1304</td></tr> <tr><td>● flux green</td><td>1305</td></tr> <tr><td>○ pure white</td><td>1307</td></tr> <tr><td>● midnight grey</td><td>1311</td></tr> <tr><td>● ash grey</td><td>1310</td></tr> <tr><td>● striking orange</td><td>1308</td></tr> <tr><td>● lightning white</td><td>1306</td></tr> <tr><td>● thunder blue</td><td>1309</td></tr> <tr><td>● daybreak rose</td><td>1486</td></tr> <tr><td>● sunny yellow</td><td>1444</td></tr> <tr><td>● ice blue</td><td>1636</td></tr> </table>	● smokey black	1304	● flux green	1305	○ pure white	1307	● midnight grey	1311	● ash grey	1310	● striking orange	1308	● lightning white	1306	● thunder blue	1309	● daybreak rose	1486	● sunny yellow	1444	● ice blue	1636
● smokey black	1304																								
● flux green	1305																								
○ pure white	1307																								
● midnight grey	1311																								
● ash grey	1310																								
● striking orange	1308																								
● lightning white	1306																								
● thunder blue	1309																								
● daybreak rose	1486																								
● sunny yellow	1444																								
● ice blue	1636																								


 p. 69	BOLT Ceiling 2 arm sidefit Anton de Groof, 2016 Material: steel & aluminum Weight: 1,9 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Wingnut solid brass included 		<table> <tr><td>● smokey black</td><td>1320</td></tr> <tr><td>● flux green</td><td>1321</td></tr> <tr><td>○ pure white</td><td>1323</td></tr> <tr><td>● midnight grey</td><td>1327</td></tr> <tr><td>● ash grey</td><td>1326</td></tr> <tr><td>● striking orange</td><td>1324</td></tr> <tr><td>● lightning white</td><td>1322</td></tr> <tr><td>● thunder blue</td><td>1325</td></tr> <tr><td>● daybreak rose</td><td>1487</td></tr> <tr><td>● sunny yellow</td><td>1445</td></tr> <tr><td>● ice blue</td><td>1638</td></tr> </table>	● smokey black	1320	● flux green	1321	○ pure white	1323	● midnight grey	1327	● ash grey	1326	● striking orange	1324	● lightning white	1322	● thunder blue	1325	● daybreak rose	1487	● sunny yellow	1445	● ice blue	1638
● smokey black	1320																								
● flux green	1321																								
○ pure white	1323																								
● midnight grey	1327																								
● ash grey	1326																								
● striking orange	1324																								
● lightning white	1322																								
● thunder blue	1325																								
● daybreak rose	1487																								
● sunny yellow	1445																								
● ice blue	1638																								
 p. 68	BOLT Ceiling 1 arm upperfit Anton de Groof, 2016 Material: steel & aluminum Weight: 1,7 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Wingnut solid brass included 		<table> <tr><td>● smokey black</td><td>1312</td></tr> <tr><td>● flux green</td><td>1313</td></tr> <tr><td>○ pure white</td><td>1315</td></tr> <tr><td>● midnight grey</td><td>1319</td></tr> <tr><td>● ash grey</td><td>1318</td></tr> <tr><td>● striking orange</td><td>1316</td></tr> <tr><td>● lightning white</td><td>1314</td></tr> <tr><td>● thunder blue</td><td>1317</td></tr> <tr><td>● daybreak rose</td><td>1490</td></tr> <tr><td>● sunny yellow</td><td>1448</td></tr> <tr><td>● ice blue</td><td>1640</td></tr> </table>	● smokey black	1312	● flux green	1313	○ pure white	1315	● midnight grey	1319	● ash grey	1318	● striking orange	1316	● lightning white	1314	● thunder blue	1317	● daybreak rose	1490	● sunny yellow	1448	● ice blue	1640
● smokey black	1312																								
● flux green	1313																								
○ pure white	1315																								
● midnight grey	1319																								
● ash grey	1318																								
● striking orange	1316																								
● lightning white	1314																								
● thunder blue	1317																								
● daybreak rose	1490																								
● sunny yellow	1448																								
● ice blue	1640																								
 p. 68	BOLT Ceiling 2 arm upperfit Anton de Groof, 2016 Material: steel & aluminum Weight: 2,1 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Wingnut solid brass included 		<table> <tr><td>● smokey black</td><td>1328</td></tr> <tr><td>● flux green</td><td>1329</td></tr> <tr><td>○ pure white</td><td>1331</td></tr> <tr><td>● midnight grey</td><td>1335</td></tr> <tr><td>● ash grey</td><td>1334</td></tr> <tr><td>● striking orange</td><td>1332</td></tr> <tr><td>● lightning white</td><td>1330</td></tr> <tr><td>● thunder blue</td><td>1333</td></tr> <tr><td>● daybreak rose</td><td>1491</td></tr> <tr><td>● sunny yellow</td><td>1449</td></tr> <tr><td>● ice blue</td><td>1642</td></tr> </table>	● smokey black	1328	● flux green	1329	○ pure white	1331	● midnight grey	1335	● ash grey	1334	● striking orange	1332	● lightning white	1330	● thunder blue	1333	● daybreak rose	1491	● sunny yellow	1449	● ice blue	1642
● smokey black	1328																								
● flux green	1329																								
○ pure white	1331																								
● midnight grey	1335																								
● ash grey	1334																								
● striking orange	1332																								
● lightning white	1330																								
● thunder blue	1333																								
● daybreak rose	1491																								
● sunny yellow	1449																								
● ice blue	1642																								
 p. 70	BOLT Chandelier 6 arm Anton de Groof, 2013 Material: steel & aluminum Weight: 6,5 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: max 3000 mm Wingnut solid brass included 		<table> <tr><td>● smokey black</td><td>1161</td></tr> <tr><td>● flux green</td><td>1163</td></tr> <tr><td>○ pure white</td><td>1165</td></tr> <tr><td>● midnight grey</td><td>1278</td></tr> <tr><td>● ash grey</td><td>1168</td></tr> <tr><td>● striking orange</td><td>1166</td></tr> <tr><td>● lightning white</td><td>1164</td></tr> <tr><td>● thunder blue</td><td>1167</td></tr> <tr><td>● daybreak rose</td><td>1494</td></tr> <tr><td>● sunny yellow</td><td>1452</td></tr> <tr><td>● ice blue</td><td>1643</td></tr> </table>	● smokey black	1161	● flux green	1163	○ pure white	1165	● midnight grey	1278	● ash grey	1168	● striking orange	1166	● lightning white	1164	● thunder blue	1167	● daybreak rose	1494	● sunny yellow	1452	● ice blue	1643
● smokey black	1161																								
● flux green	1163																								
○ pure white	1165																								
● midnight grey	1278																								
● ash grey	1168																								
● striking orange	1166																								
● lightning white	1164																								
● thunder blue	1167																								
● daybreak rose	1494																								
● sunny yellow	1452																								
● ice blue	1643																								
 p. 71	BOLT Chandelier 12 arm Anton de Groof, 2013 Material: steel & aluminum Weight: 12,5 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: max 3000 mm Wingnut solid brass included 		<table> <tr><td>● smokey black</td><td>1169</td></tr> <tr><td>● flux green</td><td>1539</td></tr> <tr><td>○ pure white</td><td>1540</td></tr> <tr><td>● midnight grey</td><td>1541</td></tr> <tr><td>● ash grey</td><td>1542</td></tr> <tr><td>● striking orange</td><td>1543</td></tr> <tr><td>● lightning white</td><td>1384</td></tr> <tr><td>● thunder blue</td><td>1544</td></tr> <tr><td>● daybreak rose</td><td>1545</td></tr> <tr><td>● sunny yellow</td><td>1546</td></tr> <tr><td>● ice blue</td><td>1644</td></tr> </table>	● smokey black	1169	● flux green	1539	○ pure white	1540	● midnight grey	1541	● ash grey	1542	● striking orange	1543	● lightning white	1384	● thunder blue	1544	● daybreak rose	1545	● sunny yellow	1546	● ice blue	1644
● smokey black	1169																								
● flux green	1539																								
○ pure white	1540																								
● midnight grey	1541																								
● ash grey	1542																								
● striking orange	1543																								
● lightning white	1384																								
● thunder blue	1544																								
● daybreak rose	1545																								
● sunny yellow	1546																								
● ice blue	1644																								



BOLT Chandelier 18 arm
Anton de Groof, 2013

Material: steel & aluminum
Weight: 15 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm

Wingnut solid brass included



- smokey black 1298
- flux green 1500
- pure white 1501
- midnight grey 1502
- ash grey 1503
- striking orange 1504
- lightning white 1505
- thunder blue 1506
- daybreak rose 1507
- sunny yellow 1508
- ice blue 1645


p. 71



BOLT 6-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1170
- flux green 1097
- pure white 1098
- midnight grey 1103
- ash grey 1102
- striking orange 1100
- lightning white 1099
- thunder blue 1101
- daybreak rose 1495
- sunny yellow 1453
- ice blue 1646


p. 73



BOLT 8-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 8,7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1171
- flux green 1104
- pure white 1121
- midnight grey 1126
- ash grey 1125
- striking orange 1123
- lightning white 1122
- thunder blue 1124
- daybreak rose 1496
- sunny yellow 1454
- ice blue 1647


p. 73



BOLT 10-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 10,6 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1172
- flux green 1127
- pure white 1128
- midnight grey 1193
- ash grey 1191
- striking orange 1175
- lightning white 1174
- thunder blue 1190
- daybreak rose 1497
- sunny yellow 1455
- ice blue 1648


p. 73



BOLT 12-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 12,6 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1173
- flux green 1208
- pure white 1209
- midnight grey 1214
- ash grey 1213
- striking orange 1211
- lightning white 1210
- thunder blue 1212
- daybreak rose 1498
- sunny yellow 1456
- ice blue 1649

p. 73






led













light source(s) not included






led






integrated LED





 p. 79	BEADS Pendant box 50 Anton de Groof, 2018 Material: aluminum Weight: 0,8 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Phase cut dimmable Cord length: max 3000 mm led		● smokey black 2000
 p. 79	BEADS Pendant box 108 Anton de Groof, 2018 Material: aluminum Weight: 0,9 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Phase cut dimmable Cord length: max 3000 mm led		● smokey black 2010
 p. 79	BEADS Pendant Anton de Groof, 2018 Material: aluminum Weight: 0,8 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Phase cut dimmable Cord length: max 3000 mm led		● smokey black 2020
 p. 81	BEADS Direct inside Anton de Groof, 2018 Material: aluminum Weight: 0,8 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Phase cut dimmable led		● smokey black 2030
 p. 81	BEADS Direct outside Anton de Groof, 2018 Material: aluminum Weight: 0,8 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Phase cut dimmable led		● smokey black 3000






 p. 88	BEADS Wall 120 with cord Anton de Groof, 2018 Material: aluminum & steel Weight: 1,9 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Dimmable on fixture Cord length: 2700 mm led		● smokey black 2040
 p. 88	BEADS Wall 120 install Anton de Groof, 2018 Material: aluminum & steel Weight: 1,9 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Phase cut dimmable led		● smokey black 2050
 p. 89	BEADS Wall 35 downlight install Anton de Groof, 2018 Material: aluminum & steel Weight: 1,3 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Phase cut dimmable led		● smokey black 2060
 p. 89	BEADS Wall 35 downlight install Anton de Groof, 2018 Material: aluminum & steel Weight: 1,3 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Phase cut dimmable led		● smokey black 2070
 p. 89	BEADS Wall 35 uplight with cord Anton de Groof, 2018 Material: aluminum & steel Weight: 1,3 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Dimmable on fixture Cord length: 2600 mm led		● smokey black 2080

 p. 89	BEADS Wall 35 uplight install Anton de Groof, 2018 Material: aluminum & steel Weight: 1,3 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Phase cut dimmable led		● smokey black 2090
 p. 84	BEADS Five in line Anton de Groof, 2018 Material: aluminum Weight: 5 kg IP 20 Volt: 220–240 V 80 Watt Dim to warm 2100K to 2800K 4500 lumen CRI: 90 Phase cut dimmable led		● smokey black 3010
 p. 85	BEADS Three in line Anton de Groof, 2018 Material: aluminum Weight: 3 kg IP 20 Volt: 220–240 V 48 Watt Dim to warm 2100K to 2800K 2700 lumen CRI: 90 Phase cut dimmable led		● smokey black 3020
 p. 87	BEADS Three in circle Anton de Groof, 2018 Material: aluminum Weight: 3,1 kg IP 20 Volt: 220–240 V 48 Watt Dim to warm 2100K to 2800K 2700 lumen CRI: 90 Phase cut dimmable led		● smokey black 3030
 p. 91	BEADS Table uplight Anton de Groof, 2018 Material: aluminum & steel Weight: 4 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Dimmable on fixture Cord length: 2400 mm led		● smokey black 3060

 p. 91	BEADS Table downlight Anton de Groof, 2018 Material: aluminum & steel Weight: 4 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Dimmable on fixture Cord length: 2400 mm led	 ● smokey black 3070
 p. 91	BEADS Floor uplight Anton de Groof, 2018 Material: aluminum & steel Weight: 7,6 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Dimmer on cord Cord length: 2100 mm led	 ● smokey black 3040
 p. 91	BEADS Floor downlight Anton de Groof, 2018 Material: aluminum & steel Weight: 7,6 kg IP 20 Volt: 220–240 V 16 Watt Dim to warm 2100K to 2800K 900 lumen CRI: 90 Dimmer on cord Cord length: 2100 mm led	 ● smokey black 3050
 p. 97	MR. TUBES LED Pendant horizontal 2700K driver separate Anton de Groof, 2019 Material: aluminum & steel Weight: 0,8 kg IP 20 Volt: 220–240 V 11 Watt 1235 lumen 2700K CRI: >90 Phase cut dimmable led	 ● smokey black with black cords 4000 ○ pure white with orange cords 4002
 p. 97	MR. TUBES LED Pendant horizontal 4000K driver separate Anton de Groof, 2019 Material: aluminum & steel Weight: 0,8 kg IP 20 Volt: 220–240 V 11 Watt 1235 lumen 4000K CRI: >90 Phase cut dimmable led	 ● smokey black with black cords 4001 ○ pure white with orange cords 4003

	MR. TUBES LED Pendant horizontal 2700K driver on fixture Anton de Groof, 2019 Material: aluminum & steel Weight: 1,3 kg IP 20 Volt: 220-240 V 11 Watt 1235 lumen 2700K CRI: >90 Phase cut dimmable Wingnut solid brass included		● smokey black with black cords 4005 ○ pure white with orange cords 4007
	MR. TUBES LED Pendant horizontal 4000K driver on fixture Anton de Groof, 2019 Material: aluminum & steel Weight: 1,3 kg IP 20 Volt: 220-240 V 11 Watt 1235 lumen 4000K CRI: >90 Phase cut dimmable Wingnut solid brass included		● smokey black with black cords 4006 ○ pure white with orange cords 4008
	MR. TUBES LED Pendant vertical 700 2700K Anton de Groof, 2019 Material: aluminum & steel Weight: 0,7 kg IP 20 Volt: 220-240 V 8 Watt 865 lumen 2700K CRI: >90 Phase cut dimmable		● smokey black with black cords 4010 ○ pure white with orange cords 4011
	MR. TUBES LED Pendant vertical 700 4000K Anton de Groof, 2019 Material: aluminum & steel Weight: 0,7 kg IP 20 Volt: 220-240 V 8 Watt 865 lumen 4000K CRI: >90 Phase cut dimmable		● smokey black with black cords 4012 ○ pure white with orange cords 4013
	MR. TUBES LED Pendant vertical 1000 2700K Anton de Groof, 2019 Material: aluminum & steel Weight: 0,8 kg IP 20 Volt: 220-240 V 11 Watt 1235 lumen 2700K CRI: >90 Phase cut dimmable		● smokey black with black cords 4014 ○ pure white with orange cords 4017

 p. 97	MR. TUBES LED Pendant vertical 1000 4000K Anton de Groof, 2019 Material: aluminum & steel Weight: 0,8 kg IP 20 Volt: 220–240 V 11 Watt 1235 lumen 4000K CRI: >90 Phase cut dimmable led		● smokey black with black cords 4018 ○ pure white with orange cords 4019
 p. 99	MR. TUBES LED Double 2700K Anton de Groof, 2019 Material: aluminum & steel Weight: 3,9 kg IP 20 Volt: 220–240 V 23 Watt 2272 lumen 2700K CRI: >90 Phase cut dimmable led		● smokey black with black cords 4015 ○ pure white with orange cords 4020
 p. 99	MR. TUBES LED Double 4000K Anton de Groof, 2019 Material: aluminum & steel Weight: 3,9 kg IP 20 Volt: 220–240 V 23 Watt 2272 lumen 4000K CRI: >90 Phase cut dimmable led		● smokey black with black cords 4016 ○ pure white with orange cords 4021
 p. 101	MR. TUBES LED Wall driver separate 2700K Anton de Groof, 2019 Material: aluminum & steel Weight: 1,1 kg IP 20 Volt: 220–240 V 8 Watt 865 lumen 2700K CRI: >90 Phase cut dimmable Wingnut solid brass included led		● smokey black with black cords 4035 ○ pure white with orange cords 4037
 p. 101	MR. TUBES LED Wall driver separate 4000K Anton de Groof, 2019 Material: aluminum & steel Weight: 1,1 kg IP 20 Volt: 220–240 V 8 Watt 865 lumen 4000K CRI: >90 Phase cut dimmable Wingnut solid brass included led		● smokey black with black cords 4036 ○ pure white with orange cords 4038


 p. 101	MR. TUBES LED Wall driver on fixture 2700K with cord Anton de Groof, 2019 Material: aluminum & steel Weight: 1,3 kg IP 20 Volt: 220-240 V 8 Watt 865 lumen 2700K CRI: >90 Phase cut dimmable Cord length: 3000 mm Wingnut solid brass included led		● smokey black with black cords 4039 ○ pure white with orange cords 4041
 p. 101	MR. TUBES LED Wall driver on fixture 2700K install Anton de Groof, 2019 Material: aluminum & steel Weight: 1,3 kg IP 20 Volt: 220-240 V 8 Watt 865 lumen 2700K CRI: >90 Phase cut dimmable Wingnut solid brass included led		● smokey black with black cords 4031 ○ pure white with orange cords 4033
 p. 101	MR. TUBES LED Wall driver on fixture 4000K with cord Anton de Groof, 2019 Material: aluminum & steel Weight: 1,3 kg IP 20 Volt: 220-240 V 8 Watt 865 lumen 4000K CRI: >90 Phase cut dimmable Cord length: 3000 mm Wingnut solid brass included led		● smokey black with black cords 4040 ○ pure white with orange cords 4042
 p. 101	MR. TUBES LED Wall driver on fixture 4000K install Anton de Groof, 2019 Material: aluminum & steel Weight: 1,3 kg IP 20 Volt: 220-240 V 8 Watt 865 lumen 4000K CRI: >90 Phase cut dimmable Wingnut solid brass included led		● smokey black with black cords 4043 ○ pure white with orange cords 4044
 p. 103	MR. TUBES LED Chandelier 2700K Anton de Groof, 2019 Material: aluminum & steel Weight: 7,1 kg IP 20 Volt: 220-240 V 40 Watt 4025 lumen 2700K CRI: >90 Phase cut dimmable Cord length: max 5000 mm Wingnut solid brass included led		● smokey black with black cords 4045 ○ pure white with orange cords 4050



MR. TUBES LED Chandelier 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 7,1 kg
IP 20 | Volt: 220–240 V | 40 Watt
4025 lumen | 4000K | CRI: >90
Phase cut dimmable
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black with black cords 4046
- pure white with orange cords 4051

p. 103


led



MR. TUBES LED Connect
Anton de Groof, 2019

Material: aluminum & steel
IP 20
Volt: 220–240 V
2700K or 4000K
CRI: >90

Wingnut solid brass included




Create your
Mr. Tubes LED
Connect with us

info@tonone.com


p. 105

led



ATLAS D350
Anton de Groof, 2015

Material: brass & hand blown glass
Weight: 4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm




- transparent 1400
- neutral grey 1401

p. 111



ATLAS D450
Anton de Groof, 2015

Material: brass & hand blown glass
Weight: 7,6 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm




- transparent 1403
- neutral grey 1404

p. 111



ELLA Black
Anton de Groof, 2016

Material: steel & hand blown glass
Weight: 5,1 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2800 mm
Dimmer on cord



- transparent 1407
- neutral grey 1406

p. 117






p. 117

ELLA White
Anton de Groof, 2016

Material: steel & hand blown glass
Weight: 5,1 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2800 mm
Dimmer on cord




- transparent 1409
- neutral grey 1408



p. 45

BELLA Table
black anodized aluminum fitting
Anton de Groof, 2022

Material: aluminum & steel
Weight: 2,3 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm
Dimmer on cord




- smokey black 1664
- flux green 1665
- pure white 1666
- midnight grey 1667
- ash grey 1668
- striking orange 1669
- lightning white 1670
- thunder blue 1671
- daybreak rose 1672
- sunny yellow 1673
- ice blue 1674



p. 45

BELLA Table
brass fitting
Anton de Groof, 2022

Material: aluminum, steel & brass
Weight: 2,3 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm
Dimmer on cord




- smokey black 1653
- flux green 1654
- pure white 1655
- midnight grey 1656
- ash grey 1657
- striking orange 1658
- lightning white 1659
- thunder blue 1660
- daybreak rose 1661
- sunny yellow 1662
- ice blue 1663



p. 47

BELLA Pendant
black anodized aluminum fitting
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2700 mm




- smokey black 1686
- flux green 1687
- pure white 1688
- midnight grey 1689
- ash grey 1690
- striking orange 1691
- lightning white 1692
- thunder blue 1693
- daybreak rose 1694
- sunny yellow 1695
- ice blue 1696



p. 47

BELLA Pendant
brass fitting
Anton de Groof, 2022

Material: aluminum, steel & brass
Weight: 1 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2700 mm




- smokey black 1675
- flux green 1676
- pure white 1677
- midnight grey 1678
- ash grey 1679
- striking orange 1680
- lightning white 1681
- thunder blue 1682
- daybreak rose 1683
- sunny yellow 1684
- ice blue 1685



ONE + Knob
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,3 kg
IP 20
Volt: 220-240 V | 1,5 Watt
2700 K | 230 lumen | CRI: 90
Dimmable on fixture
Battery: 5-30 hours
USB-C charging cable included
Cable length: 500 mm



- smokey black 5045
- fuzzy white 5046
- heavy metal 5047
- rocky bronze 5066
- fuzzy white with hell orange 5048
- heavy metal with bright yellow 5049


p. 31

led



ONE + Desk
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,2 kg
IP 20
Volt: 220-240 V | 1,5 Watt
2700 K | 230 lumen | CRI: 90
Dimmable on fixture
Battery: 5-30 hours
USB-C charging cable
Cable length: 500 mm & 1500 mm



- smokey black 5035
- fuzzy white 5036
- heavy metal 5037
- rocky bronze 5067

p. 33


led



ONE Desk fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1 kg

USB-C charging cable
Cable length: 1500 mm




- smokey black 5015
- fuzzy white 5016
- heavy metal 5017
- rocky bronze 5018

p. 33



ONE + Wall
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,5 kg
IP 20
Volt: 220-240 V | 1,5 Watt
2700 K | 230 lumen | CRI: 90
Dimmable on fixture
Battery: 5-30 hours
USB-C charging cable included
Cable length: 500 mm



- smokey black 5040
- fuzzy white 5041
- heavy metal 5042
- rocky bronze 5080

p. 39


led



ONE Wall fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,25 kg






USB-C charging cable included








- smokey black 5020
- fuzzy white 5021
- heavy metal 5022
- rocky bronze 5023

p. 39



 p. 35	ONE + Floor Anton de Groof, 2022 Material: aluminum & steel Weight: 1,4 kg IP 20 Volt: 220–240 V 1,5 Watt 2700 K 230 lumen CRI: 90 Dimmable on fixture Battery: 5–30 hours USB-C charging cable Cable length: 500 mm & 2500 mm led		● smokey black 5030 ○ fuzzy white 5031 ● heavy metal 5032 ● rocky bronze 5068
 p. 35	ONE Floor fixture Anton de Groof, 2022 Material: aluminum & steel Weight: 1,2 kg USB-C charging cable Cable length: 2500 mm 		● smokey black 5010 ○ fuzzy white 5011 ● heavy metal 5012 ● rocky bronze 5013
 p. 37	ONE + Floor straight Anton de Groof, 2022 Material: aluminum & steel Weight: 1,4 kg IP 20 Volt: 220–240 V 1,5 Watt 2700 K 230 lumen CRI: 90 Dimmable on fixture Battery: 5–30 hours USB-C charging cable Cable length: 500 mm & 2500 mm led		● smokey black 5050 ○ fuzzy white 5051 ● heavy metal 5052 ● rocky bronze 5069
 p. 37	ONE Floor straight fixture Anton de Groof, 2022 Material: aluminum & steel Weight: 1,2 kg USB-C charging cable Cable length: 2500 mm 		● smokey black 5055 ○ fuzzy white 5056 ● heavy metal 5057 ● rocky bronze 5065
	ONE Knob Anton de Groof, 2022 Material: steel Weight: 0,08 kg		● smokey black 5025 ○ fuzzy white 5026 ● heavy metal 5027 ● rocky bronze 5028
 p. 31	ONE 3 Knob Anton de Groof, 2022 Material: steel Weight: 3 × 0,08 kg		● smokey black 5058 ○ fuzzy white 5059 ● heavy metal 5060 ● rocky bronze 5061

 p. 25	Bridge 110 Anton de Groof, 2023 Material: aluminum, acrylic & steel Weight: 1,9 kg IP 20 Volt: 220-240 V 18,5 Watt 2700 K 1180 lumen CRI: >90 Mains dimmable Cable length: 3000 mm		● lava orange 6000 ● toxic green 6001 ○ fog white 6002 ● smoke grey 6003 ● cocoa brown 6004
 p. 25	Bridge 150 Anton de Groof, 2023 Material: aluminum, acrylic & steel Weight: 2,3 kg IP 20 Volt: 220-240 V 25 Watt 2700 K 1625 lumen CRI: >90 Mains dimmable Cable length: 3000 mm		● lava orange 6005 ● toxic green 6006 ○ fog white 6007 ● smoke grey 6008 ● cocoa brown 6009
 p. 25	Bridge 180 Anton de Groof, 2023 Material: aluminum, acrylic & steel Weight: 2,6 kg IP 20 Volt: 220-240 V 32 Watt 2700 K 2125 lumen CRI: >90 Mains dimmable Cable length: 3000 mm		● lava orange 6010 ● toxic green 6011 ○ fog white 6012 ● smoke grey 6013 ● cocoa brown 6014
 p. 25	Bridge 220 Anton de Groof, 2023 Material: aluminum, acrylic & steel Weight: 3 kg IP 20 Volt: 220-240 V 38 Watt 2700 K 2497 lumen CRI: >90 Mains dimmable Cable length: 3000 mm		● lava orange 6015 ● toxic green 6016 ○ fog white 6017 ● smoke grey 6018 ● cocoa brown 6019
 p. 15	BOLT10 Desk Anton de Groof, 2025 Material: aluminum & steel Weight: 1,8 kg IP 20 Volt: 220-240 V 4 Watt 2700 K 640 lumen CRI: 90 Dimmable on fixture With orange cords Wingnut solid brass included		● misty white 7001 ● shadow black 7003 ● burgundy red 7005 ● clay brown 7007

Wall ring

Material: steel

Optional ring for installation of:

- Bolt Wall install
- Bolt Wall small install
- Bolt Wall mini install
- Bolt Wall underfit install
- Bolt Bed sidefit install
- Bolt Bed underfit install
- Mr. Tubes led wall driver separate install
- Mr. Tubes led wall driver on fixture install

● smokey black	1385
● flux green	1386
○ pure white	1387
● midnight grey	1388
● ash grey	1389
● striking orange	1390
● lightning white	1391
● thunder blue	1392
● daybreak rose	1393
● sunny yellow	1394
● ice blue	1650

Wingnut

Material: solid brass, copper, stainless steel or black aluminum

Wingnut Solid Brass included with the Bolt Collection and Mr. Tubes LED Pendant horizontal, Wall driver on fixture and Chandelier.

Sold per 10 pieces

● solid brass	1300
● copper	1302
● stainless steel	1303
● black aluminium	1301



Special thanks to:

PHOTOGRAPHY

Frank van Delft
Wonderwood – Laura Westendorp

LOCATIONS

Abe van der Heijden
Anette van der Horst
Arianne Bonthuis
Atelier Uma
CapCabin
Carrier Transicold
Go Dutch Label
Gulf – Studio Vennix
Interior Vitamins
Janniene Brouwer
Judith en Peter de Vries
Karton Studio
Kirsti Bertrums
Lexson Fashion Brand
Meja B.V.
Mr. Design
Roel Vaessen & Ruud van den Akker
Studio Bovitec
Studio ByFrank
The 18 Studio
Theater de Kattendans
Uylenhof Hotel
Visserette Polpo

Tonone

Veemarktkade 8 – 6117
5222 AE Den Bosch
The Netherlands
info@tonone.com
www.tonone.com
+31 (0) 85 782 13 33
BTW / VAT NL 8532 13 215 B01
KVK / CH.O.C. 58 86 26 92



tonone_official

All information provided in this catalog is subject to change
and may contain errors or inaccuracies
copyright © Tonone 2026
All rights reserved



