


TONONE



T O N O N E

TONONE



"Hereby we proudly present our brand-new catalogue. During the pandemic we kept going. We've added new product lines, such as the ONE. This luminous, magnetic little powerhouse is something special. We cannot wait for you to get to know this little pal. And then there's Bella, our three-legged elegant beauty. Furthermore, Ice Blue was added to the Tonone color palette, a color you will never stop looking at as it looks different every time. We have updated the photos to make our lamps shine brighter than ever before. Get ready for some sparkly eyes!

2023 is a celebratory year for us as we will be celebrating our ten-year anniversary. After ten years we're still based in the Netherlands and working together with local craftsmen. Today the design team's vision is still committed to apply traditional craft tools and mechanics in innovative light design. Looking back at the past ten years we're thrilled to see our lamps travel all over the world to their new enthusiastic owners."









With love,




Anton de Groof




TABLE OF CONTENTS

BRIDGE		9
ONE		15
BELLA		29
BOLT		37
BEADS		65
MR. TUBES LED		83
ATLAS		97
ELLA		103
SPECIFICATIONS		109



BRIDGE



A linear LED lamp that allows for a graphic interplay of lines and with which you can experiment with composition. Just like a real bridge, Bridge has different supports, so that the load-bearing capacity is evenly distributed along its length. Bridge doesn't have a power cable that catches the eye. That's because the power is conducted by steel cables, which are also used to hang the lamp. The lamp is available in different lengths. The available lengths are 110, 150, 180 and 220 cm. Bridge is made from recycled plexiglass and is available in the color Fog White and in two striking neon color variations: Lava Orange (fluorescent orange) and Toxic Green (fluorescent green).





BRIDGE

Design by Anton de Groof 2023

Material Aluminum, acrylic and steel
Description A linear LED lamp that allows for a graphic interplay of lines and with which you can experiment with composition. The design is functional, but also contains the typical layering of Tonone.


Volt 220-240 V
Max Watt 31,5 Watt
IP 20

Colors




More specifications on pages 109 - 130



lava orange



toxic green



fog white



Bridge 110 = 1100
Bridge 150 = 1495
Bridge 180 = 1800
Bridge 220 = 2200



ONE

The portable and rechargeable design lamp is a true all-rounder. You can take the lamp anywhere you want and it fits in every room of your house. Thanks to its magnetic attachment, you're able to snap the ONE on its fixture with just one simple movement. With its fully charged built-in battery, it lights up your life up to 30 hours. The ONE is easy to charge with the included cable. The ONE is available in 3 colors. Combine the ONE with one of the fixtures and make a floor, desk, ceiling or wall lamp.







ONE + KNOB

Design by Anton de Groof 2022


Material	Aluminum & steel
Description	The lamp is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220-240 V Max 2 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90

Colors





More specifications on pages 109 - 130

knob



one + knob





DESK

Design by Anton de Groof 2022


Material Aluminum & steel
Description ONE + desk is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt 220-240 V | Max 2 Watt
Light source Integrated dimmable led
Led color 2700K
CRI 90

Colors




More specifications on pages 109 - 130

desk



one + desk





FLOOR

Design by Anton de Groof 2022


Material Steel & aluminum
Description ONE + floor is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt 220-240 V | Max 2 Watt
Light source Integrated dimmable led
Led color 2700K
CRI 90

Colors




More specifications on pages 109 - 130

floor



one + floor





FLOOR STRAIGHT

Design by Anton de Groof 2023


Material Steel & aluminum
Description ONE + floor is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt 220-240 V | Max 2 Watt
Light source Integrated dimmable led
Led color 2700K
CRI 90

Colors




More specifications on pages 109 - 130

floor



one + floor





WALL

Design by Anton de Groof 2022

Material Steel & aluminum
Description ONE + wall is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt 220-240 V | Max 2 Watt
Light source Integrated dimmable led
Led color 2700K
CRI 90

Colors





More specifications on pages 109 - 130

wall fixture



one + wall






BELLA

The Tonone Bella truly lives up to her name: she's a real Bella. Because of the three legs, a closed lampshade and the use of only one screw, this lamp has a functional design. The choice of powder-coated steel makes the Bella strong, both in her appearance and her construction.

Bella is available in 2 different models, as a pendant and table lamp, and 11 colors. To customize the design even further, you can choose the color of the fitting: black or brass.







TABLE

Design by Anton de Groof 2022

Material Aluminum & steel
Description The three legs are made of powder coated steel, the lampshade of coated aluminum. The Bella is almost completely screwless, the fitting is the only part that is secured with a screw.
Volt 220-240 V
Max Watt 60 Watt
Socket E27

Colors




More specifications on pages 109 - 130

black aluminum fitting



brass fitting





PENDANT

Design by Anton de Groof 2022

Material Aluminum & steel
Description The lampshade is made of powder coated aluminum. The Bella is almost completely screwless, the fitting is the only part that is secured with a screw.
Volt 220-240 V
Max Watt 60 Watt
Socket E27


Colors 

More specifications on pages 109 - 130

black aluminum fitting



brass fitting






BOLT

The starting point for the products of Tonone is the passion for traditional mechanics. The first product line that resulted from this fascination is the lamp series 'Bolt'.

The key element in this industrial series is the joint construction that can be adjusted with a wingnut-shaped tool. Besides being a functional tool, this wingnut is integrated in the design of the lamp itself as a distinctive visual element.







2 arm foot



2 arm clamp



DESK


Design by Anton de Groof 2013

Material Steel & aluminum
Description Base and body in powder coated steel, shade in powder coated aluminum.
The shade and arms are adjustable with the wingnut.
Volt 220-240 V
Max Watt 60 Watt
Socket E27


Colors 

More specifications on pages 109 - 130

1 arm foot



1 arm clamp





CROSLEY

Stack of vinyl records





DESK SMALL

Design by Anton de Groof 2013

Material Steel & aluminum
Description Base and body in powder coated steel, shade in powder coated aluminum.
The shade and arms are adjustable with the wingnut.
Volt 220-240 V
Max Watt 60 Watt
Socket E27

Colors



More specifications on pages 109 - 130




2 arm small



1 arm small



1 arm small clamp





TABLE

Design by Anton de Groof 2013


Material Steel & aluminum
Description Base and body in powder coated steel, shade in powder coated aluminum.
The shade and arms are adjustable with the wingnut.
Volt 220-240 V
Max Watt 60 Watt
Socket E27

Colors




More specifications on pages 109 - 130

standard



small





FLOOR

Design by Anton de Groof 2013

Material Steel & aluminum
Description Base and body in powder coated steel, shade in powder coated aluminum.
The shade and arms are adjustable with the wingnut.
Volt 220-240 V
Max Watt 60 Watt
Socket E27

Colors





More specifications on pages 109 - 130

2 arm sidefit



1 arm sidefit





FLOOR LONG

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27
Dimmer	2 arm upperfit includes a LED dimmer

Colors





More specifications on pages 109 - 130


long 2 arm upperfit



long 1 arm sidefit





Installation



sidefit



sidefit small



WALL

Design by Anton de Groof 2013



Material	Steel & aluminum
Description	Body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V Max 60 Watt
Socket	E27
Installation- options	1. powercord including switch and europlug 2. terminal block to install directly on a junction box 3. option 2 + optional wall ring

Colors




More specifications on pages 109 - 130

sidefit mini



underfit





BED

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220-240 V Max 60 Watt
Socket	E27
Installation- options	1. powercord including europlug 2. terminal block to install directly on a junction box 3. option 2 + optional wall ring

Colors



More specifications on pages 109 - 130




sidefit



underfit




Installation






1 arm upperfit



2 arm upperfit



CEILING


Design by Anton de Groof 2016

Material Steel & aluminum
Description Body in powder coated steel, shade in powder coated aluminum.
The shade and arms are adjustable with the wingnut.
Volt 220-240 V | Max 60 Watt
Socket E27



Colors 

More specifications on pages 109 - 130

1 arm sidefit



2 arm sidefit





CHANDELIER

Design by Anton de Groof 2013


Material Steel & aluminum
Description Body in powder coated steel, shades in powder coated aluminum.
The shades and arms are adjustable with the wingnut.
Volt 220-240 V
Max Watt 60 Watt
Socket E27

Colors




More specifications on pages 109 - 130

6 arm



18 arm





PACK PENDANT

Design by Anton de Groof 2013

Material steel & aluminum
Description Body in powder coated steel, shades in powder coated aluminum.
The shades and arms are adjustable with the wingnut.
Volt 220-240 V
Max Watt 60 Watt
Socket E27



Colors 


More specifications on pages 109 - 130

pack pendant



12 pack = 2190
10 pack = 1790
8 pack = 1390
6 pack = 990





BEADS

The Beads collection is a series of lamps designed to fit in every environment. The modest look of the armature starts shining when it comes to functionality. With its 360 degrees dimmable Led range, the Beads is a solution for every situation.

On top of that the Beads is available as a pendant, a ceiling-, wall-, floor- or table lamp. With the Beads Tonone illustrates a next step in innovating lighting concepts, but also sticks to the basic design signature of this brand.








PENDANT

Design by Anton de Groof 2018



Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220-240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90

Color 



More specifications on pages 109 - 130





pendant box 50



pendant box 108



pendant





TONONE

DIRECT

Design by Anton de Groof 2018

Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220-240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90



Color 

More specifications on pages 109 – 130

direct outside



direct inside




Beads pendant





five beads in line



BEADS IN LINE


Design by Anton de Groof 2018

Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220-240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90

Color 

More specifications on pages 109 – 130

three beads in line





BEADS IN CIRCLE


Design by Anton de Groof 2018

Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220-240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90


Color 

More specifications on pages 109 – 130


three beads in circle





Installation wall 120



Installation wall 35



wall 120



WALL

Design by Anton de Groof 2018

Material	Aluminum & steel
Description	The lightweight Beads is made out of aluminum materials. Wall mounts in powder coated steel.
Volt	220-240 V 13 Watt
Light source	Dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90
Installation- options	1. & 3. with powercord including europlug, dimmer on fixture 2. & 4. with terminal block to install directly on a junction box, phase cut dimmable

Color





More specifications on pages 109 – 130

wall 35 down



wall 35 up





FLOOR & TABLE

Design by Anton de Groof 2018


Material	Aluminum & steel
Description	The lightweight Beads is made out of aluminum materials. Base and tube in coated steel.
Tech specs	220-240 V
Watt	13 Watt
Light source	Dimmable LED, Beads Floor includes a LED dimmer on cord Beads Table is dimmable on fixture
LED color	Dim to warm (2100K to 3000K)
CRI	90

Color




More specifications on pages 109 - 130

floor



table





MR. TUBES LED




Mr. Tubes is a sturdy lamp design that combines pure functionality with graphical aesthetics. The black- or white coated steel construction holds the led tubes and gives the lamp an industrial look; a straightforward design suitable for various locations. The lamp is dimmable and the adjustable steel cables make it possible to hang the lamp at any height.

Mr. Tubes is available as a pendant single, double, floor, wall and chandelier. Or build your own with the Mr. Tubes Led Connect.





Installation




vertical 1000

driver separate



vertical 700

driver separate



PENDANT

Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by black steel cables. The Mr. Tubes is phase cut dimmable.
Volt	220-240 V 1000 mm tube 11,2 Watt 700 mm 7,6 Watt
Installation	1. driver on fixture 2. & 3. driver separate
Light color	2700K or 4000K
CRI	80

Colors





More specifications on pages 109 - 130

single driver separate



single driver on fixture





DOUBLE

Design by Anton de Groof 2019

Material Aluminum & steel
Description Body in powder coated steel & aluminum, carried by 2 black steel cables.
The Mr. Tubes is phase cut dimmable.
Volt 220-240 V
Watt 11,2 Watt
Light color 2700K or 4000K
CRI 80

Colors







More specifications on pages 109 - 130

double black



double white





WALL

Design by Anton de Groof 2019


Material	Aluminum & steel
Description	Body in powder coated steel & aluminum. The Mr. Tubes is phase cut dimmable.
Volt	220-240 V 7,6 Watt
Light color	2700K or 4000K CRI: 80
Installation	1. with 3 meter powercord including europlug 2. with terminal block to install directly on a junction box 3. with optional wall ring

Colors




More specifications on pages 109 – 130

wall driver separate



wall driver on fixture



Drawings of the installation options of the Mr. Tubes LED driver separate: available on request or check tonone.com.



CHANDELIER

Design by Anton de Groof 2019

Material Aluminum & steel
Description Body in powder coated steel & aluminum, carried by a black steel cable.
The Mr. Tubes is phase cut dimmable.
Volt 220-240 V
Watt 7,6 Watt
Light color 2700K or 4000K
CRI 80

Colors




More specifications on pages 109 - 130


chandelier black




chandelier white



max 1680





CONNECT


Design by Anton de Groof 2019

Material Aluminum & steel
Description Body in powder coated steel & aluminum, carried by black steel cables.
The Mr. Tubes is phase cut dimmable.
Volt 220-240 V | 1000 mm tube 11,2 Watt | 700 mm tube 7,6 Watt
Light color 2700K or 4000K
CRI 80

Colors  

Plan your Mr. Tubes led Connect with us.
info@tonone.com

connect





ATLAS

The combination of an aluminium or brass hinge mechanism with a transparent hand-blown glass shade creates a constructive lamp with a poetic character. By unfolding the hinge mechanism to an upright position, the glass shade is hold up while it rests on the construction.

Atlas comes in two sizes; a big shade of 450 mm wide and a smaller shade of 350 mm wide.





ATLAS


Design by Anton de Groof 2015

Material Brass & hand blown glass
Description A hand blown glass shade held by an ingenious brass hinge mechanism.
Volt 220-240 V
Max Watt 60 Watt
Socket E27
Glass colors Transparent & neutral grey


Color  

More specifications on pages 109 - 130

D350



D450





ELLA



A hand-blown glass shade is supported by a sturdy steel tripod stand, underlining its strong, graphic yet elegant and light character. Both the transparent and the neutral grey shades provide a soft glow, and work harmoniously with the black or white stand colors and brass details.





ELLA

Design by Anton de Groof 2016

Material Steel & hand blown glass
Description The tripod stand is made of powder coated steel and holds a hand blown-glass shade.
Volt 220-240 V
Max Watt 60 Watt
Socket E27
Glass colors Transparent or neutral grey


Body colors  

More specifications on pages 109 - 130

ella black



ella white









specifications


BOLT Desk 2 arm foot
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,8 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm

Wingnut solid brass included



● smokey black	1001
● flux green	1003
○ pure white	1005
● midnight grey	1252
● ash grey	1008
● striking orange	1006
● lightning white	1004
● thunder blue	1007
● daybreak rose	1457
● sunny yellow	1415
● ice blue	1600

p. 40 


BOLT Desk 2 arm clamp
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,5 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm

Wingnut solid brass included



● smokey black	1009
● flux green	1011
○ pure white	1013
● midnight grey	1253
● ash grey	1016
● striking orange	1014
● lightning white	1012
● thunder blue	1015
● daybreak rose	1458
● sunny yellow	1416
● ice blue	1601

p. 40 


BOLT Desk 1 arm foot
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,2 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm

Wingnut solid brass included



● smokey black	1017
● flux green	1019
○ pure white	1021
● midnight grey	1254
● ash grey	1024
● striking orange	1022
● lightning white	1020
● thunder blue	1023
● daybreak rose	1460
● sunny yellow	1418
● ice blue	1602

p. 41 


BOLT Desk 1 arm clamp
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,9 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm

Wingnut solid brass included



● smokey black	1025
● flux green	1027
○ pure white	1029
● midnight grey	1255
● ash grey	1032
● striking orange	1030
● lightning white	1028
● thunder blue	1031
● daybreak rose	1461
● sunny yellow	1419
● ice blue	1603

p. 41 


BOLT Desk small 2 arm foot
Anton de Groof, 2013 / 2018

Material: steel & aluminum
Weight: 5,3 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2300 mm

Wingnut solid brass included

● smokey black	1352
● flux green	1353
○ pure white	1355
● midnight grey	1359
● ash grey	1358
● striking orange	1356
● lightning white	1354
● thunder blue	1357
● daybreak rose	1459
● sunny yellow	1417
● ice blue	1606


p. 45 



BOLT Desk small 1 arm foot
Anton de Groof, 2013 /2018

Material: steel & aluminum
Weight: 4,8 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



- smokey black 1033
- flux green 1035
- pure white 1037
- midnight grey 1256
- ash grey 1040
- striking orange 1038
- lightning white 1036
- thunder blue 1039
- daybreak rose 1462
- sunny yellow 1420
- ice blue 1604


p. 45



BOLT Desk small 1 arm clamp
Anton de Groof, 2013 / 2018

Material: steel & aluminum
Weight: 1,7 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



- smokey black 1041
- flux green 1042
- pure white 1044
- midnight grey 1257
- ash grey 1048
- striking orange 1045
- lightning white 1043
- thunder blue 1046
- daybreak rose 1463
- sunny yellow 1421
- ice blue 1605


p. 45



BOLT Table standard
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,3 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2300 mm

Wingnut solid brass included



- smokey black 1049
- flux green 1051
- pure white 1053
- midnight grey 1258
- ash grey 1056
- striking orange 1054
- lightning white 1052
- thunder blue 1055
- daybreak rose 1464
- sunny yellow 1422
- ice blue 1607


p. 47



BOLT Table small
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,2 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



- smokey black 1057
- flux green 1059
- pure white 1061
- midnight grey 1259
- ash grey 1064
- striking orange 1062
- lightning white 1060
- thunder blue 1063
- daybreak rose 1465
- sunny yellow 1423
- ice blue 1608

p. 47




BOLT Mount for table / desk

Material: steel & aluminum

Bolt Desk and Bolt Table available with mount instead of a foot or clamp.


Please contact Tonone for more information.

info@tonone.com



- smokey black 1547
- flux green 1548
- pure white 1549
- midnight grey 1550
- ash grey 1551
- striking orange 1552
- lightning white 1553
- thunder blue 1554
- daybreak rose 1555
- sunny yellow 1556
- ice blue 1652






p. 49


BOLT Floor 2 arm sidefit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 8,8 kg
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 3000 mm

Wingnut solid brass included



● smokey black	1065
● flux green	1067
○ pure white	1069
● midnight grey	1260
● ash grey	1072
● striking orange	1070
● lightning white	1068
● thunder blue	1071
● daybreak rose	1466
● sunny yellow	1424
● ice blue	1609




p. 49


BOLT Floor 1 arm sidefit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 8,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm

Wingnut solid brass included



● smokey black	1073
● flux green	1075
○ pure white	1077
● midnight grey	1261
● ash grey	1080
● striking orange	1078
● lightning white	1076
● thunder blue	1079
● daybreak rose	1467
● sunny yellow	1425
● ice blue	1610




p. 51


BOLT Floor long 2 arm upperfit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 10,1 kg
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm
Includes a LED floordimmer on cord

Wingnut solid brass included



● smokey black	1360
● flux green	1361
○ pure white	1363
● midnight grey	1367
● ash grey	1366
● striking orange	1364
● lightning white	1362
● thunder blue	1365
● daybreak rose	1469
● sunny yellow	1427
● ice blue	1612




p. 51


BOLT Floor long 1 arm sidefit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 9,3 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2200 mm

Wingnut solid brass included



● smokey black	1279
● flux green	1280
○ pure white	1282
● midnight grey	1286
● ash grey	1285
● striking orange	1283
● lightning white	1281
● thunder blue	1284
● daybreak rose	1468
● sunny yellow	1426
● ice blue	1611




p. 52

BOLT Wall sidefit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2600 mm

Wingnut solid brass included






● smokey black	1081
● flux green	1083
○ pure white	1085
● midnight grey	1262
● ash grey	1088
● striking orange	1086
● lightning white	1084
● thunder blue	1087
● daybreak rose	1470
● sunny yellow	1428
● ice blue	1613

BOLT Wall sidefit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



p. 52 


● smokey black	1089
● flux green	1091
○ pure white	1093
● midnight grey	1265
● ash grey	1096
● striking orange	1094
● lightning white	1092
● thunder blue	1095
● daybreak rose	1473
● sunny yellow	1431
● ice blue	1614

BOLT Wall sidefit small with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2750 mm

Wingnut solid brass included



p. 52 


● smokey black	1220
● flux green	1222
○ pure white	1224
● midnight grey	1263
● ash grey	1227
● striking orange	1225
● lightning white	1223
● thunder blue	1226
● daybreak rose	1471
● sunny yellow	1429
● ice blue	1617

BOLT Wall sidefit small install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



p. 52 


● smokey black	1236
● flux green	1238
○ pure white	1240
● midnight grey	1266
● ash grey	1243
● striking orange	1241
● lightning white	1239
● thunder blue	1242
● daybreak rose	1474
● sunny yellow	1432
● ice blue	1618

BOLT Wall sidefit mini with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 0,9 kg
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2850 mm

Wingnut solid brass included



p. 53 


● smokey black	1228
● flux green	1230
○ pure white	1232
● midnight grey	1264
● ash grey	1235
● striking orange	1233
● lightning white	1231
● thunder blue	1234
● daybreak rose	1472
● sunny yellow	1430
● ice blue	1619

BOLT Wall sidefit mini install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 0,9 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included


p. 53 

● smokey black	1244
● flux green	1246
○ pure white	1248
● midnight grey	1267
● ash grey	1251
● striking orange	1249
● lightning white	1247
● thunder blue	1250
● daybreak rose	1475
● sunny yellow	1433
● ice blue	1620

BOLT Wall underfit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2600 mm

Wingnut solid brass included



- smokey black 1105
- flux green 1107
- pure white 1109
- midnight grey 1268
- ash grey 1112
- striking orange 1110
- lightning white 1108
- thunder blue 1111
- daybreak rose 1476
- sunny yellow 1434
- ice blue 1615


p. 53



BOLT Wall underfit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



- smokey black 1113
- flux green 1114
- pure white 1116
- midnight grey 1269
- ash grey 1120
- striking orange 1117
- lightning white 1115
- thunder blue 1118
- daybreak rose 1477
- sunny yellow 1435
- ice blue 1616


p. 53



BOLT Bed sidefit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



- smokey black 1129
- flux green 1131
- pure white 1133
- midnight grey 1270
- ash grey 1136
- striking orange 1134
- lightning white 1132
- thunder blue 1135
- daybreak rose 1478
- sunny yellow 1436
- ice blue 1623


p. 52



BOLT Bed sidefit with cord MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



- smokey black 1529
- flux green 1530
- pure white 1531
- midnight grey 1532
- ash grey 1533
- striking orange 1534
- lightning white 1535
- thunder blue 1536
- daybreak rose 1537
- sunny yellow 1538
- ice blue 1624


p. 52



BOLT Bed sidefit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



- smokey black 1137
- flux green 1139
- pure white 1141
- midnight grey 1271
- ash grey 1144
- striking orange 1142
- lightning white 1140
- thunder blue 1143
- daybreak rose 1479
- sunny yellow 1437
- ice blue 1626


p. 52



BOLT Bed sidefit install MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



- smokey black 1368
- flux green 1369
- pure white 1371
- midnight grey 1375
- ash grey 1374
- striking orange 1372
- lightning white 1370
- thunder blue 1373
- daybreak rose 1480
- sunny yellow 1438
- ice blue 1627


p. 52



BOLT Bed sidefit set
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 2500 mm

Wingnut solid brass included



- smokey black 1560
- flux green 1561
- pure white 1562
- midnight grey 1563
- ash grey 1564
- striking orange 1565
- lightning white 1566
- thunder blue 1567
- daybreak rose 1568
- sunny yellow 1569
- ice blue 1625


p. 52



BOLT Bed sidefit set install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



- smokey black 1570
- flux green 1571
- pure white 1572
- midnight grey 1573
- ash grey 1574
- striking orange 1575
- lightning white 1576
- thunder blue 1577
- daybreak rose 1578
- sunny yellow 1579
- ice blue 1628


p. 52



BOLT Bed underfit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



- smokey black 1145
- flux green 1147
- pure white 1149
- midnight grey 1272
- ash grey 1152
- striking orange 1150
- lightning white 1148
- thunder blue 1151
- daybreak rose 1481
- sunny yellow 1439
- ice blue 1629


p. 55



BOLT Bed underfit with cord MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



- smokey black 1519
- flux green 1520
- pure white 1521
- midnight grey 1522
- ash grey 1523
- striking orange 1524
- lightning white 1525
- thunder blue 1526
- daybreak rose 1527
- sunny yellow 1528
- ice blue 1630

p. 55




BOLT Bed underfit install
Anton de Groof, 2013



Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



- smokey black 1153
- flux green 1155
- pure white 1157
- midnight grey 1273
- ash grey 1160
- striking orange 1158
- lightning white 1156
- thunder blue 1159
- daybreak rose 1482
- sunny yellow 1440
- ice blue 1632

p. 55




BOLT Bed underfit install MIRROR
Anton de Groof, 2013



Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



- smokey black 1376
- flux green 1377
- pure white 1379
- midnight grey 1383
- ash grey 1382
- striking orange 1380
- lightning white 1378
- thunder blue 1381
- daybreak rose 1483
- sunny yellow 1441
- ice blue 1633

p. 55




BOLT Bed underfit set
Anton de Groof, 2013



Material: steel & aluminum
Weight: 2,8 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 2500 mm

Wingnut solid brass included



- smokey black 1580
- flux green 1581
- pure white 1582
- midnight grey 1583
- ash grey 1584
- striking orange 1585
- lightning white 1586
- thunder blue 1587
- daybreak rose 1588
- sunny yellow 1589
- ice blue 1631

p. 55




BOLT Bed underfit set install
Anton de Groof, 2013



Material: steel & aluminum
Weight: 2,8 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included



- smokey black 1590
- flux green 1591
- pure white 1592
- midnight grey 1593
- ash grey 1594
- striking orange 1595
- lightning white 1596
- thunder blue 1597
- daybreak rose 1598
- sunny yellow 1599
- ice blue 1634

p. 55




BOLT Ceiling 1 arm sidefit
Anton de Groof, 2016



Material: steel & aluminum
Weight: 1,5 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included



- smokey black 1304
- flux green 1305
- pure white 1307
- midnight grey 1311
- ash grey 1310
- striking orange 1308
- lightning white 1306
- thunder blue 1309
- daybreak rose 1486
- sunny yellow 1444
- ice blue 1636

p. 59






BOLT Ceiling 2 arm sidefit
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,9 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included



- smokey black 1320
- flux green 1321
- pure white 1323
- midnight grey 1327
- ash grey 1326
- striking orange 1324
- lightning white 1322
- thunder blue 1325
- daybreak rose 1487
- sunny yellow 1445
- ice blue 1638


p. 59



BOLT Ceiling 1 arm upperfit
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,7 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included



- smokey black 1312
- flux green 1313
- pure white 1315
- midnight grey 1319
- ash grey 1318
- striking orange 1316
- lightning white 1314
- thunder blue 1317
- daybreak rose 1490
- sunny yellow 1448
- ice blue 1640


p. 58



BOLT Ceiling 2 arm upperfit
Anton de Groof, 2016

Material: steel & aluminum
Weight: 2,1 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included



- smokey black 1328
- flux green 1329
- pure white 1331
- midnight grey 1335
- ash grey 1334
- striking orange 1332
- lightning white 1330
- thunder blue 1333
- daybreak rose 1491
- sunny yellow 1449
- ice blue 1642


p. 58



BOLT Chandelier 6 arm
Anton de Groof, 2013

Material: steel & aluminum
Weight: 6,5 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm

Wingnut solid brass included



- smokey black 1161
- flux green 1163
- pure white 1165
- midnight grey 1278
- ash grey 1168
- striking orange 1166
- lightning white 1164
- thunder blue 1167
- daybreak rose 1494
- sunny yellow 1452
- ice blue 1643


p. 61



BOLT Chandelier 18 arm
Anton de Groof, 2013

Material: steel & aluminum
Weight: 15 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm

Wingnut solid brass included



- smokey black 1298
- flux green 1500
- pure white 1501
- midnight grey 1502
- ash grey 1503
- striking orange 1504
- lightning white 1505
- thunder blue 1506
- daybreak rose 1507
- sunny yellow 1508
- ice blue 1645

p. 61






BOLT 6-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1170
- flux green 1097
- pure white 1098
- midnight grey 1103
- ash grey 1102
- striking orange 1100
- lightning white 1099
- thunder blue 1101
- daybreak rose 1495
- sunny yellow 1453
- ice blue 1646


p. 63



BOLT 8-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 8,7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1171
- flux green 1104
- pure white 1121
- midnight grey 1126
- ash grey 1125
- striking orange 1123
- lightning white 1122
- thunder blue 1124
- daybreak rose 1496
- sunny yellow 1454
- ice blue 1647


p. 63



BOLT 10-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 10,6 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1172
- flux green 1127
- pure white 1128
- midnight grey 1193
- ash grey 1191
- striking orange 1175
- lightning white 1174
- thunder blue 1190
- daybreak rose 1497
- sunny yellow 1455
- ice blue 1648


p. 63



BOLT 12-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 12,6 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included



- smokey black 1173
- flux green 1208
- pure white 1209
- midnight grey 1214
- ash grey 1213
- striking orange 1211
- lightning white 1210
- thunder blue 1212
- daybreak rose 1498
- sunny yellow 1456
- ice blue 1649


p. 63



BEADS Pendant box 50
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable
Cord length: max 3000 mm

led



- smokey black 2000

p. 69




led integrated LED



BEADS Pendant box 108
Anton de Groof, 2018

Material: aluminum
Weight: 0,9 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable
Cord length: max 3000 mm

led



● smokey black

2010


p. 69



BEADS Pendant
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable
Cord length: max 3000 mm

led



● smokey black

2020


p. 69



BEADS Direct inside
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable

led



● smokey black

2030


p. 71



BEADS Direct outside
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable

led



● smokey black

3000


p. 71



BEADS Wall 120 with cord
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,9 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmable on fixture
Cord length: 2700 mm

led



● smokey black

2040

p. 78


BEADS Wall 120 install
Anton de Groof, 2018

● smokey black

2050



Material: aluminum & steel
Weight: 1,9 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable



p. 78

led


BEADS Wall 35 downlight with cord
Anton de Groof, 2018

● smokey black

2060



Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmable on fixture
Cord length: 2600 mm



p. 79

led


BEADS Wall 35 downlight install
Anton de Groof, 2018

● smokey black

2070



Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable



p. 79

led


BEADS Wall 35 uplight with cord
Anton de Groof, 2018

● smokey black

2080



Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmable on fixture
Cord length: 2600 mm



p. 79

led


BEADS Wall 35 uplight install
Anton de Groof, 2018

● smokey black

2090



Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Phase cut dimmable




p. 79

led



BEADS Five beads in line
Anton de Groof, 2018

Material: aluminum
Weight: 5 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
5 × 1350 lumen | CRI: 90
Phase cut dimmable



● smokey black 3010


p. 74

led



BEADS Three beads in line
Anton de Groof, 2018

Material: aluminum
Weight: 3 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
3 × 1350 lumen | CRI: 90
Phase cut dimmable



● smokey black 3020


p. 75

led



BEADS Three beads in circle
Anton de Groof, 2018

Material: aluminum
Weight: 3,1 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
3 × 1350 lumen | CRI: 90
Phase cut dimmable



● smokey black 3030


p. 77

led



BEADS Table uplight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 4 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmable on fixture
Cord length: 2400 mm



● smokey black 3060


p. 81

led



BEADS Table downlight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 4 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmable on fixture
Cord length: 2400 mm



● smokey black 3070


p. 81

led



BEADS Floor uplight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 7,6 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Dimmer on cord
Cord length: 2100 mm



● smokey black 3040


p. 81

led



BEADS Floor downlight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 7,6 kg
IP 20
Volt: 220-240 V | 13 Watt
Dim to warm 2100K to 3000K
1350 lumen | CRI: 90
Cord length: 2100 mm
Dimmer on cord



● smokey black 3050


p. 81

led



MR. TUBES LED Pendant horizontal | 2700K | driver separate
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220-240 V | 11,2 Watt
1300 lumen | 2700K | CRI: 80
Phase cut dimmable



● smokey black with black cords 4000

○ pure white with orange cords 4002


p. 87

led



MR. TUBES LED Pendant horizontal | 4000K | driver separate
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220-240 V | 11,2 Watt
1430 lumen | 4000K | CRI: 80
Phase cut dimmable



● smokey black with black cords 4001

○ pure white with orange cords 4003


p. 87

led



MR. TUBES LED Pendant horizontal | 2700K | driver on fixture
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220-240 V | 11,2 Watt
1300 lumen | 2700K | CRI: 80
Phase cut dimmable



● smokey black with black cords 4005

○ pure white with orange cords 4007

p. 87

led


Wingnut solid brass included



MR. TUBES LED Pendant
horizontal | 4000K | driver on fixture
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220-240 V | 11,2 Watt
1430 lumen | 4000K | CRI: 80
Phase cut dimmable

Wingnut solid brass included



- smokey black with black cords 4006
- pure white with orange cords 4008


p. 87

led



MR. TUBES LED Pendant
vertical 700 | 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,7 kg
IP 20
Volt: 220-240 V | 7,6 Watt
890 lumen | 2700K | CRI: 80
Phase cut dimmable



- smokey black with black cords 4010
- pure white with orange cords 4011

p. 86

led



MR. TUBES LED Pendant
vertical 700 | 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,7 kg
IP 20
Volt: 220-240 V | 7,6 Watt
980 lumen | 4000K | CRI: 80
Phase cut dimmable



- smokey black with black cords 4012
- pure white with orange cords 4013

p. 86

led



MR. TUBES LED Pendant
vertical 1000 | 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220-240 V | 11,2 Watt
1300 lumen | 2700K | CRI: 80
Phase cut dimmable



- smokey black with black cords 4014
- pure white with orange cords 4017

p. 86

led



MR. TUBES LED Pendant
vertical 1000 | 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220-240 V | 11,2 Watt
1430 lumen | 4000K | CRI: 80
Phase cut dimmable



- smokey black with black cords 4018
- pure white with orange cords 4019


p. 86

led



MR. TUBES LED Double 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 3,9 kg
IP 20
Volt: 220-240 V | 11,2 Watt
2 x 1300 lumen | 2700K | CRI: 80
Phase cut dimmable



- smokey black with black cords 4015
- pure white with orange cords 4020


p. 89

led



MR. TUBES LED Double 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 3,9 kg
IP 20
Volt: 220-240 V | 11,2 Watt
2 x 1430 lumen | 4000K | CRI: 80
Phase cut dimmable



- smokey black with black cords 4016
- pure white with orange cords 4021

p. 89


led



MR. TUBES LED Wall driver separate 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,1 kg
IP 20 | Volt: 220-240 V | 7,6 Watt
890 lumen | 2700K | CRI: 80
Phase cut dimmable

Wingnut solid brass included



- smokey black with black cords 4035
- pure white with orange cords 4037

p. 91


led



MR. TUBES LED Wall driver separate 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,1 kg
IP 20 | Volt: 220-240 V | 7,6 Watt
980 lumen | 4000K | CRI: 80
Phase cut dimmable

Wingnut solid brass included



- smokey black with black cords 4036
- pure white with orange cords 4038

p. 91


led



MR. TUBES LED Wall driver on fixture 2700K with cord
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20 | Volt: 220-240 V | 7,6 Watt
890 lumen | 2700K | CRI: 80
Phase cut dimmable
Cord length: 3000 mm

Wingnut solid brass included



- smokey black with black cords 4039
- pure white with orange cords 4041

p. 91

led




p. 91

MR. TUBES LED Wall driver on fixture 2700K install
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20 | Volt: 220-240 V | 7,6 Watt
890 lumen | 2700K | CRI: 80
Phase cut dimmable

Wingnut solid brass included

led



- smokey black with black cords 4031
- pure white with orange cords 4033




p. 91

MR. TUBES LED Wall driver on fixture 4000K with cord
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20 | Volt: 220-240 V | 7,6 Watt
980 lumen | 4000K | CRI: 80
Phase cut dimmable
Cord length: 3000 mm

Wingnut solid brass included

led



- smokey black with black cords 4040
- pure white with orange cords 4042




p. 91

MR. TUBES LED Wall driver on fixture 4000K install
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20 | Volt: 220-240 V | 7,6 Watt
980 lumen | 4000K | CRI: 80
Phase cut dimmable

Wingnut solid brass included

led



- smokey black with black cords 4043
- pure white with orange cords 4044




p. 93

MR. TUBES LED Chandelier 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 7,1 kg
IP 20 | Volt: 220-240 V | 7,6 Watt
5 x 890 | 2700K | CRI: 80
Phase cut dimmable
Cord length: max 5000 mm

Wingnut solid brass included

led



- smokey black with black cords 4045
- pure white with orange cords 4050




p. 93

MR. TUBES LED Chandelier 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 7,1 kg
IP 20 | Volt: 220-240 V | 7,6 Watt
5 x 980 lumen | 4000K | CRI: 80
Phase cut dimmable
Cord length: max 5000 mm

Wingnut solid brass included

led




- smokey black with black cords 4046
- pure white with orange cords 4051

MR. TUBES LED Connect
Anton de Groof, 2019



Material: aluminum & steel
IP 20
Volt: 220-240 V
1300 or 1430 lumen
2700K or 4000K
CRI: 80
Phase cut dimmable



Plan your
Mr. Tubes LED
Connect with us

info@tonone.com

Wingnut solid brass included


led

p. 95

ATLAS D350
Anton de Groof, 2015



Material: brass & hand blown glass
Weight: 4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm



- transparent 1400
- neutral grey 1401




p. 101

ATLAS D450
Anton de Groof, 2015



Material: brass & hand blown glass
Weight: 7,6 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm



- transparent 1403
- neutral grey 1404




p. 101

ELLA Black
Anton de Groof, 2016



Material: steel & hand blown glass
Weight: 5,1 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2800 mm
Dimmer on cord



- transparent 1407
- neutral grey 1406




p. 107

ELLA White
Anton de Groof, 2016



Material: steel & hand blown glass
Weight: 5,1 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2800 mm
Dimmer on cord



- transparent 1409
- neutral grey 1408




p. 107



BELLA Table
black anodized aluminum fitting
Anton de Groof, 2022

Material: aluminum & steel
Weight: 2,3 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm
Dimmer on cord




- smokey black 1664
- flux green 1665
- pure white 1666
- midnight grey 1667
- ash grey 1668
- striking orange 1669
- lightning white 1670
- thunder blue 1671
- daybreak rose 1672
- sunny yellow 1673
- ice blue 1674

p. 33



BELLA Table
brass fitting
Anton de Groof, 2022

Material: aluminum, steel & brass
Weight: 2,3 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm
Dimmer on cord




- smokey black 1653
- flux green 1654
- pure white 1655
- midnight grey 1656
- ash grey 1657
- striking orange 1658
- lightning white 1659
- thunder blue 1660
- daybreak rose 1661
- sunny yellow 1662
- ice blue 1663

p. 33



BELLA Pendant
black anodized aluminum fitting
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm




- smokey black 1686
- flux green 1687
- pure white 1688
- midnight grey 1689
- ash grey 1690
- striking orange 1691
- lightning white 1692
- thunder blue 1693
- daybreak rose 1694
- sunny yellow 1695
- ice blue 1696

p. 35



BELLA Pendant
brass fitting
Anton de Groof, 2022

Material: aluminum, steel & brass
Weight: 1 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm




- smokey black 1675
- flux green 1676
- pure white 1677
- midnight grey 1678
- ash grey 1679
- striking orange 1680
- lightning white 1681
- thunder blue 1682
- daybreak rose 1683
- sunny yellow 1684
- ice blue 1685

p. 35



ONE + Knob
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,3 kg
IP 20
Volt: 220–240 V | 2 Watt
2700 K | 245 lumen | CRI: 90
Dimmable on fixture
Battery: 5–30 hours
USB-C charging cable included
Cable length: 500 mm



- smokey black 5045
- fuzzy white 5046
- heavy metal 5047
- fuzzy white with hell orange 5048
- Heavy metal with bright yellow 5049

p. 19

led




light source(s) not included

led integrated LED



ONE + Desk
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,2 kg
IP 20
Volt: 220-240 V | 2 Watt
2700 K | 245 lumen | CRI: 90
Dimmable on fixture
Battery: 5-30 hours
USB-C charging cable + plug included
Cable length: 500 mm & 1500 mm



- smokey black 5035
- fuzzy white 5036
- heavy metal 5037


p. 21



ONE Desk fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1 kg

USB-C charging cable + plug included
Cable length: 1500 mm




- smokey black 5015
- fuzzy white 5016
- heavy metal 5017

p. 21



ONE + Wall
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,5 kg
IP 20
Volt: 220-240 V | 2 Watt
2700 K | 245 lumen | CRI: 90
Dimmable on fixture
Battery: 5-30 hours
USB-C charging cable included
Cable length: 500 mm



- smokey black 5040
- fuzzy white 5041
- heavy metal 5042


p. 27



ONE Wall fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,25 kg

USB-C charging cable included




- smokey black 5020
- fuzzy white 5021
- heavy metal 5022

p. 27



ONE + Floor
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,4 kg
IP 20
Volt: 220-240 V | 2 Watt
2700 K | 245 lumen | CRI: 90
Dimmable on fixture
Battery: 5-30 hours
USB-C charging cable + plug included
Cable length: 500 mm & 2500 mm



- smokey black 5030
- fuzzy white 5031
- heavy metal 5032



led

p. 23

ONE Floor fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,2 kg

USB-C charging cable + plug included
Cable length: 2500 mm






● smokey black 5010
○ fuzzy white 5011
● heavy metal 5012

p. 23

ONE + Floor straight
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,4 kg
IP 20
Volt: 220–240 V | 2 Watt
2700 K | 245 lumen | CRI: 90
Dimmable on fixture
Battery: 5–30 hours
USB-C charging cable + plug included
Cable length: 500 mm & 2500 mm

● smokey black 5050
○ fuzzy white 5051
● heavy metal 5052



led

p. 25

ONE Floor straight fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,2 kg

USB-C charging cable + plug included
Cable length: 2500 mm





● smokey black 5055
○ fuzzy white 5056
● heavy metal 5057

p. 25

ONE Knob
Anton de Groof, 2022

Material: steel
Weight: 0,08 kg




● smokey black 5025
○ fuzzy white 5026
● heavy metal 5027

ONE 3 Knob
Anton de Groof, 2022

Material: steel
Weight: 3 × 0,08 kg






● smokey black 5058
○ fuzzy white 5059
● heavy metal 5060

p. 19

Bridge 110
Anton de Groof, 2023

Material: aluminum, acrylic & steel
Weight: 1,9 kg
IP 20
Volt: 220–240 V | 15 Watt
2700 K | 1492 lumen | CRI: >90
Mains dimmable
Cable length: 3000 mm


● lava orange 6000
● toxic green 6001
○ fog white 6002

led

p. 13

Bridge 150
Anton de Groof, 2023

Material: aluminum, acrylic & steel
Weight: 2,3 kg
IP 20
Volt: 220-240 V | 21 Watt
2700 K | 2058 lumen | CRI: >90
Mains dimmable
Cable length: 3000 mm




- lava orange 6005
- toxic green 6006
- fog white 6007

p. 13

led

Bridge 180
Anton de Groof, 2023

Material: aluminum, acrylic & steel
Weight: 2,6 kg
IP 20
Volt: 220-240 V | 27 Watt
2700 K | 2495 lumen | CRI: >90
Mains dimmable
Cable length: 3000 mm





- lava orange 6010
- toxic green 6011
- fog white 6012

p. 13

led

Bridge 220
Anton de Groof, 2023

Material: aluminum, acrylic & steel
Weight: 3 kg
IP 20
Volt: 220-240 V | 31,5 Watt
2700 K | 3068 lumen | CRI: >90
Mains dimmable
Cable length: 3000 mm



- lava orange 6015
- toxic green 6016
- fog white 6017

p. 13


led

Wingnut

Material: solid brass, copper, stainless steel or black aluminium

Wingnut Solid Brass included with the Bolt Collection and Mr. Tubes LED Pendant horizontal, Wall driver on fixture and Chandelier.

Sold per 10 pieces




- solid brass 1300
- copper 1302
- stainless steel 1303
- black aluminium 1301

Wall ring

Material: steel
Optional ring for installation of:

- Bolt Wall install
- Bolt Wall small install
- Bolt Wall mini install
- Bolt Wall underfit install
- Bolt Bed sidefit install
- Bolt Bed underfit install
- Mr. Tubes led wall driver separate install
- Mr. Tubes led wall driver on fixture install



- smokey black 1385
- flux green 1386
- pure white 1387
- midnight grey 1388
- ash grey 1389
- striking orange 1390
- lightning white 1391
- thunder blue 1392
- daybreak rose 1393
- sunny yellow 1394
- ice blue 1650

TONONE

Special thanks to:

Frank van Delft Photography
Hans Schoenmakers – Spring Design
Wonderwood Fotografie – Laura Westendorp

Bibelotte
Janniene Brouwer – NNN___studio
JM van Delft & ZN
Karton Studio
Kirsti Bertrums
LEXSON Fashion Brands
Studio Bovitec
Studio Byfrank
The Unbound
Visserette Polpo

Tonone

Veemarktkade 8 – 6117
5222 AE Den Bosch
The Netherlands
info@tonone.com
www.tonone.com
+31 (0) 85 782 13 33
BTW / VAT NL 8532 13 215 B01
KVK / CH.O.C. 58 86 26 92



tonone_official

copyright © Tonone 2024
All rights reserved



Relax
'It's just a
Camp!

